

TECHNICAL INFORMATION

FOR PROFESSIONAL USE ONLY

	ONE STEP PREMIUM POLISHING COMPOUND	
	Capacity	Article number
	250 g	12895
	1 kg	12736
	4,5 kg	12737
	100 g x 12 (display)	12896

PRODUCT DESCRIPTION

BRAYT One Step Premium is an extremely efficient new generation polishing compound. Thanks to its high quality aluminum oxides content, it guarantees great effect in an easy one-step process. Quickly eliminates grit 1500 sanding marks and signs of wear ensuring the achievement of the perfect glossy finish. Optimal modern formulation prevents surface overheating and allows for easy cleaning.

PHYSICAL AND CHEMICAL PROPERTIES

- Density: 1,04 (+/- 0,03 kg/l)
- Color: white
- Cutting power: 7/10
- Gloss grade: 9/10
- Application: manual, by machine (rotary machine, orbital polisher)

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl

APLICADORES RECOMENDADOS

BRAYT polishing foam „PROFI” white
BRAYT polishing lambswool type „D” yellow
BRAYT polishing lambswool type „MM” white
BRAYT microfiber cutting pad
BRAYT orange peel removal pad „JEANS”
BRAYT orange peel removal pad „SZTRUKS”

USAGE

- Apply small amount of One Step Premium compound on the polishing pad or surface to be treated.
- Polish with an orbital polisher in a speed range of 1200 – 1600 RPM (max. 2000) applying light or medium pressure.
- Polish until all scratches have been removed.
- Clean any compound residue with a microfiber cloth.
- Change the polishing pad to a soft finishing foam and polish until full gloss is achieved.

STORAGE

Product works best when its temperature is 15 - 25°C.
Store in close sealed container in temperature 0 - 45°C.

Do not freeze. Store away from acids. Store away from oxidizing agents. Keep away from heat.

WARRANTY PERIOD

24 months from production date.

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, Tel: +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 Website: www.troton.com.pl Email: troton@troton.com.pl

Limitation of responsibility: the information contained in the TDS is up-to-date and correct on the day the information is released.

Because TROTON can not control or predict the conditions under which a product will be used, each user should review information in the specific context of the intended use. To the maximum extent permitted by applicable law, TROTON shall not be liable for damages of any kind arising from the use or reliance on information contained in this TDS.

Given the variety of factors that can affect the use and use of the TROTON product, some of which are only within the user's knowledge and control range, it is essential that the user evaluate the TROTON product to determine if the product is fit for a particular purpose and whether the product is suitable for the user's use.

Under no circumstances shall TROTON be liable to you or any third party for any indirect, incidental, incidental, special or punitive damages, including loss of profits resulting from the use of products manufactured by TROTON and / or TROTON's services.

All information are based upon the precise laboratory studies and many years of experience. The good market position does not release us from the constant supervision of our products quality. However we are not responsible for the final effects of the improper storage or application of our products, as well as for work inconsistent with the good craft practice.

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, **Tel:** +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 **Website:** www.troton.com.pl **Email:** troton@troton.com.pl

Updated
12.06.2019 r.



TROTON Sp. z o.o.

Ząbrowo, Poland

TROTON Sp. z.o.o

Address: Ząbrowo 14A, 78-120 Gościno, Poland, **Tel:** +48 94 35 123 94
Tel/Fax: +48 94 35 126 22 **Website:** www.troton.com.pl **Email:** troton@troton.com.pl