



AFC Series Self Contained Cubelet Ice Machine – up to 79kg AFC 80 AS Cubelet size – 1g W 16mm x D 15mm x H 7-8mm



1g - W 16mm x D 15mm x H 7-8mm



Note: Ice production rate is measured with the water temperature at 10°C and an ambient temperature of 21°C.

- Up to 79kg daily production rate
- 25kg storage bin capacity
- Air cooled version
- Ice evaporator with stainless steel auger
- Agion Technology resists the growth of microbes and the development of unpleasant odours
- Simple, reliable electromechanic controls
- External indicator lights to show operation status and maintenance alert
- Resistant stainless steel exterior
- Easy access front condenser air filter
- External indicator lights to show operation status
- Includes removable air filter, ice scoop, water and drain hose



















AFC Series Self Contained Cubelet Ice Machine – up to 79kg

AFC 80 AS





UNIT OF MEASUREMENT: mm

1. 13/16" WATER OUTLET

2. 3/4"- WATER INLET


3. 3/4"- WATER OUTLET

4. 3/4" - WATER INLET

5. CORD SET

WATER COOLED UNIT ONLY

WATER COOLED UNIT ONLY



2 149 2 232 (5) 272 (3) 475



moffat.com.au

Australia Moffat Pty Limited

Victoria/Tasmania

740 Springvale Road Mulgrave, Victoria 3170 Telephone 03-9518 3888 Facsimile 03-9518 3833 vsales@moffat.com.au

New South Wales

Telephone 02-8833 4111 nswsales@moffat.com.au

South Australia

Telephone 03-9518 3888 vsales@moffat.com.au

Queensland

Telephone 07-3630 8600 qldsales@moffat.com.au

Western Australia

Telephone 08-9413 2400 wasales@moffat.com.au

Ice production per 24 hours

Ambient temperature / Water temperature

10°C / 10°C	21°C / 10°C	32°C / 21°C
85	79	65

Dimensions

Width: 535mm Depth: 620mm

Height: 890mm (including legs)

Nett weight: 50kg Packed weight: 58kg

Water consumption

Air cooled version: 2.7 litres per hour

Electrical rating

Air cooled version: 230-240V, 1P+N+E, 50Hz, 440W,

10A cordset supplied

No. Circuit wire: 3 Compressor: 470W Energy consumption: 10kW/hr

Refrigerant type

R404a

Installation distance from wall

Rear 100mm Sides 50mm

Operating requirement air temperature 10-43°C

Water connection requirements

Inlet connection: R ³/₄"

Cold water: 5-38°C

Pressure: 100-500kPa

Water outlet connection: Ø¹³/₁₆"

Important Notice:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.



© Copyright Moffat Ltd