

AUSTRALIA BRANCH

TURBO AIR PTY LTD www.turboairinc.com.au 1st Floor, Building E 10 Highgate St, Auburn NSW 2144 Australia T. 02 9737 9881

💻 FEATURES & BENEFITS 💻

Digital temperature control system

Provides precise and constant temperature. This level of precision allows food products to remain fresh over an extended period of time.

High-tech monitor

The unit will beep if the door has been opened for more than 30 seconds. The monitor digitally displays the present temperature and current status of the freezer. You can easily change the temperature by adjusting the thermostat.

LED lighting interior display system

Brighter and longer lasting LED lights provide attractive, enhanced illumination compared to fluorescents. It saves energy by producing less heat, while maximizing the visibility in the display area.

LED advertising panel

LED lighting offers 5 times longer lasting life than fluorescents and conserves energy as well.

Efficient refrigeration system

Turbo Air's freezers are designed with oversized and balanced (CFC Free R-404A) refrigeration systems. These include efficient evaporators and condensers for faster freezing and greater efficiency.

Triple pane heated glass doors

Equipped with unique triple-pane heated glass doors which enhance energy efficiency by preventing heat transfers and minimizing condensation. Lightweight door construction reduces door maintenance, bushing wear, and facilitates smooth door opening.

Automatic evaporator fan motor delays

When the door is opened the evaporator fan will stop, preventing the circulation of hot and moist air from escaping into the refrigerator. This increases energy efficiency and lengthens the life of the compressor.

Adjustable, heavy duty, PE (polyethylene) coated wire shelves

High-density polyurethane insulation

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

Ergonomically designed doors

Customers' fatigue fades away with easy grip handles and doors that open effortlessly. These features along with self-closing doors make this the ultimate choice in customer convenience.



Freezer holds -27°C ~ -15°C for the best in frozen food preservation

FRS-1250F	2	1387	8	11/4	12.7	266	1382 x 756 x 2109
Model	Swing Door	Capacity (Liters)	#of Shelves	HP	AMPS	Crated Weight(kg)	L x D [*] x H (mm)

* Depth does not include 1-3/8" for glass door handles.

Model : FRS-1250F

Swing Door Freezers

Model : FRS-1250F

Model	FRS-1250F
Refrigerant	R-404A
COMP (HP)	740g
POWER INPUT(W)	4/3HP
Energy	
AMPS(A)	6.37
Capacity	1220
Product Dimension	1382
Product Dimension	756
Product Dimension	2064
Weight	270
Stainless steel	EGI (WHITE)
Features	DIGITAL
Max GN Pan depth	
GN Pan	
Door lock	Х
Adjustable Shelves	8
LED light	yes
Temperature range	-27~-15℃
Ambient	
Drainage /	N/A
Temperature	Digital control
Cooling type	FAN COOLING
Glass Type (Low-e / Heater / How many layer of the glass)	Double Pane Glass Door with Low-E glass

Design and specifications subject to change without notice. Actual Shipping weight may differ due to extra packing materials for product protection.









PLAN VIEW

unit : inch (mm)



757





124

SIDE VIEW

AUSTRALIA BRANCH

TURBO AIR PTY LTD www.turboairinc.com.au **1st Floor, Building E** 10 Highgate St, Auburn NSW 2144 Australia T. 02 9737 9881

