



GN2100BT TROPICALISED 2 Door Gastronorm Bench Freezer

Quick Overview

- One Level Of Shelving Plus Floor
- Secop Compressors
- German Ębm-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors
- Heated Door Frame
- 100mm Wall Clearance Required For Ventilation
- Castors

Description

Tropicalised Gastronorm

GN2100BT is an impressive (two) door stainless steel workbench freezer that's able to withhold 313.5 litres with dimensions set at 1360x700x850mm.

This underbench freezer comes to use from one of the most renowned commercial refrigeration brands in the business - Temperature Thermaster - who stock several of our high-quality fridges and freezers.

These underbench freezers have ample interior storage space for stock/ingredients with a freezing interior for long-term preservation. The workbenches on top of the unit act as ideal tables for kitchen work - whether it's for cutting, chopping or mixing ingredients, prepping meals and sides or general cleaning.

Matches Gn Series Bench Fridges

Refrigerated -22 to -18°C

Ambient 38°C & 90% Rh

- One Level Of Shelving Plus Floor
- Secop Compressors
- German Ębm-Pabst Fans
- Italian (Carel) Digital Temp. Controls & Read-Out
- Units Can Be Easily Slid Open For Cleaning & Maintenance
- Internal Corners Rounded For Hygiene & Easy Cleaning
- Fan-Forced Evaporator Cooling
- Auto Defrost
- Self Evaporating Drainage
- Insulation Is CFC & HCFC Free
- Extremely Efficient Self-Closing Doors

- Heated Door Frame
- 100mm Wall Clearance Required For Ventilation
- Castors
- Capacity 313.5 ltr

* Gal Metal Back

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	98
Width (mm)	1360
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	740
Packing Depth (mm)	1380
Packing Height (mm)	920
Power	240V; 390W