

BAKERTOP MIND.Maps[™] ONE





Index

BAKERTOP MIND.Maps™ ONE combi-steamers	page	4
Baking Assistance	page	6
Technologies	page	12
ONE resistive control panel	page	18
BAKERTOP MIND.Maps™ ONE COUNTERTOP	page	20
BAKERTOP MIND.Maps [™] ONE BIG	page	28
Care and Maintenance	page	34
Technical Data	page	38
Technical Assistance	page	48
Unox in the world	page	50







BAKERTOP MIND.Maps™ ONE BIG

BAKERTOP MIND.Maps™ ONE COUNTERTOP

BAKERTOP MIND.Maps™ ONE

The essence of the bakery combi oven

BAKERTOP MIND.Maps™ ONE is the professional bakery combi oven that allows you to obtain solid baking performances in a simple and intuitive way. Your experience, combined with manual functions and essential technologies, becomes fundamental. Perfectly essential, simply effective. In combination with the LIEVOX provers and the DECKTOP static ovens, the BAKERTOP MIND.Maps™ ONE create versatile and compact baking stations for limitless baking possibilities.

MIND.Maps™ ONE ovens is available in two versions to meet the specific need of every baker:

COUNTERTOP 4, 6 and 10 600 x 400 trays for small laboratories and stores;

BIG with trolleys with 16 600 x 400 trays for large stores and production facilitites.



Individual Cooking Experience

Try the oven for free. It's on us.



01

Book

Choose when and where to try your next Unox oven. Call our customer service and set up an appointment.

Set up an appointment, call us or book it online on **unox.com**



02

Bake with us

In your kitchen, with your ingredients and your recipes: a Unox Chef will make you experience all the benefits of the ovens' technologies.



03

Choose

Being sure of the results you can achieve, take the time you need to make a choice based on solid certainties.



Baking Assistence

TOP.Training

Discover your oven



Learn, use, improve

Top. Training is the Unox free training service. Our Chefs will show you everything you need to get the best from your new oven, from its basic features to its most advanced technologies.

> Download the **Top.Training App** from Google Play or App Store

Data Driven Cooking Community

Inspire and be inspired



A world of Recipes for your ovens

Let yourself be inspired by the DDC.App cookbook: download the recipes prepared by the Unox Chefs and by the Unox DDC community users. Actively participate in the community and share your recipe!

> Download the **DDC.App** from Google Play or App Store

CHEF.Line

You call, **Unox answers**



24/07

The Unox Chef Team is always at your disposal to give you practical advice on programs cooking methods and to suggest you new recipes: from the most traditional to the most innovative ones.

> Call us International +39 **049 86 57 511** Oceania +61 3 9876 0803








]]

Technologies

Easy.
Precise.
Effective.



Maximum baking intensity

Perfect baking, uniformity on each tray, saturated and dense steam or complete extraction of humidity, intense or gentle air flows.



DRY.Maxi™

Humidity gives way to flavour.

Effectively remove humidity from the cooking chamber to give your preparations perfect consistency, colour and crunchiness every time.




STEAM.Maxi™

The power of steam is in your hands.

It generates saturated steam from 35 °C and delivers high steaming performance combined with energy and water savings.

14



Focus on your customers, rely on the BAKERTOP MIND.Maps™ **PLUS** combi

Discover the most intelligent ovens in the world on our website www.unox.com





AIR.Maxi™

It conducts, unites, transforms.

It uses multiple high flow reversing fans to deliver uniform results and short cooking times. 4 speeds of the fan allow to perform any kind of cooking.



CLIMALUX™

Total humidity control.

The oven features accurate sensors to measure the actual humidity inside the cooking chamber and automatically activate steam production or evacuation to ensure that the actual humidity always matches the set one.



Data will be always accessible by smartphone or PC

An ecosystem to be discovered



Create and share

Your recipes in all your ovens.


Create your recipe book and synchronize it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.



Understand

Monitor and improve your performance.


DDC.Stats gives you full control over energy, water, and detergent consumption and over your baking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.



360° Assistance

Let DDC.Coach train you.

DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalize the abilities of your ovens and maximize the return on your investment!



Easy and

intuitive

ONE control panel functions

State of the Art Simplicity



Easy, fast and crystal-clear.

Set any baking process in a rapid and intuitive way for each of the available baking steps. All the settings you need in a single screen, up to 9 cooking steps. Limitless creativity.



Programs

384 Programs memory.

All your recipes are unique and repeatable thanks to the personal library that allows you to store and organize your baking programs. The oven can store 384 programs organized in 16 different groups.



MIND.Maps™

Do not set a cooking process, draw it.

Add your touch of brilliance. Draw even the most elaborate baking with a few hand gestures on the display. Design your most complex baking processes with maximum creative freedom. You imagine, the oven executes.



Give shape to your cooking skills

BAKERTOP MIND.Maps™ ONE COUNTERTOP is the professional combi oven that stands out for its simplicity. Nothing superfluous, nothing left to chance. Bake every load with the tranquility of obtaining the desired result.

BAKERTOP MIND.Maps™ ONE COUNTERTOP baking stations combine the versatility of a bakery combi oven with prover and deck oven in less than a square meter.

Baking of leavened products, bakery, pastry, biscuits and much more. It is your experience that makes the difference; the oven guarantees you the result you desire. Simplicity translated into reliability and savings; use DECKTOP and LIEVOX for static baking and leavening.

6.5 min

Preheating **time** from 30 °C to 200 °C

up to **80**%

Less water compared to cooking in boiling water

up to **20**%

or convection oven

Faster than a traditional

Looking for more performance? Discover BAKERTOP MIND.Maps™ **PLUS** on our website www.unox.com



Cooking Quality Get the result you are looking for

Savings Energy, time and ingredients

Reliability

Effective technology, solid performances

22

Increase your Possibilities

DECKTOP is the modern Static oven for the traditional stone baking and much more.

Art. XEBDC-01EU-C e XEBPC-08EU-B Technical details at page 44



Oven + Lievox Solution

LIEVOX proofers have capable sensors to control and intervene automatically on the leavening process to guarantee the quality of the result.

Art. XEBPC-12EU-B Technical details at page 44



Oven + Oven + Lievox Solution

Versatility and efficiency with two stacked ovens combined with perfect proofing. Ideal for in-store baking.

Art. XEBPC-08EU-B Technical details at page 44



Oven + Oven + Hood Solution

Within the ventless hood, a selfcleaning filter removes odours from the fumes that are expelled through the oven chimney.

Art. XEVH-HC11 Technical details at page 44

24

27

QUICK.LOAD



Door or Doorless QUICK.Load 6 + 6

Mobile trolley, basket and accessories to easily load, unload and transport 12 trays of food.

6 + 6 Solution with Stand

Solution with two stacked ovens to cook up to 12 600 x 400 trays at the same time.




Solution 4 + 10 and Stand

Solution with two stacked ovens to cook up to 14 600 x 400 trays at the same time.



Mobile trolley, basket and accessories to easily load, unload and transport up to 14 trays of dough.



The essence of food production

BAKERTOP MIND.Maps[™] ONE BIG is the professional trolley oven which allows you to make large quantities of cookings in a simple and intuitive way.

BAKERTOP MIND.Maps™ ONE BIG features simplified technology designed to give concrete support to your work. Compared to traditional rotary ovens, it allows to significantly reduce the occupied space and the energy consumption and at the same time improve the cooking results and the leaboratory cleaning.

Bake leavened products, pastries, bakeries, biscuits and much more: high productions that meet the professional needs of those who prefer practicality and reliability

768 croissants

60 min **productivity** 1 croissant = 70 gr

260 °C

Maximum cooking **temperature**

up to 30%

Less **energy** than a rotary oven.

Find out on www.unox.com the limitless performances of BAKERTOP MIND.Maps™ PLUS BIG, with its 6 reverse gear fans and vertical heating elements.



Productivity

High volumes, zero stops

Quality

Get the results you are looking for

Reliability

Effective technology, solid performances

30

Practicality and speed at your service





Find all the possible solutions for your professional laboratory.

Configure your BAKERTOP MIND.Maps™ ONE oven online. www.unox.com/en_ae/configurator





QUICK.Load

16 600x400 trays trolley makes loading, unloading and transport easy, quick and convenient.

Art. XEBTL-16EU Technical details at page 45



L

MIND.Ma

36


Technical details at pa


Not required for BAKERTOP MIND.Maps™ BIG ovens.

UNOX.Pure











PURE-RO

Reverse osmosis system that reduces the carbonate hardness of water to zero, thus avoiding any scale deposits inside the oven.

Art. XHC002 Technical details at page 46



PURE

The UNOX.Pure filter reduces the carbonate hardness in water, thus avoiding scale deposits inside the oven baking chamber.

Art. XHC003 Technical details at page 46



REFILL

Replacement cartridge for UNOX.PURE filtering system

Art. XHC004 Technical details at page 46



PLUS

Cleaning and rinse agents to combine maximum cleanliness with minimum consumption and long life for your oven.

Art. DB1015 Technical details at page 46



ECO

Eco formula for daily cleaning and the utmost respect for the environment.

Art. DB1018 Technical details at page 46



ULTRA


Ultra strong detergent for high level of dirt, recommended for poultry and meat fats.


Art. DB1050* Technical details at page 46


*Check the product availability for your Country.

Discover all the ovens and their combined accessories

The essence of the bakery combi oven







860 x 967 x 675 mm wxdxh

capacity 4 600 x 400

voltage 380-415V 3N~

pitch 80 mm

frequency 50/60 Hz

power 7,4 kW

weight 90 kg

860 x 967 x 842 mm wxdxh

860 x 967 x 1162 mm wxdxh

892 x 925 x 1875 mm wxdxh

* XEBC - 04EU - EIRM * XEBC - 06EU - EIRM * XEBC - 10EU - EIRM * XEBL - 16EU - EIRS

capacity 6 600 x 400 pitch 80 mm frequency 50/60 Hz voltage 380-415V 3N~

> power 10,1 kW weight 103 kg

capacity 10 600 x 400 pitch 80 mm frequency 50/60 Hz voltage 380-415V 3N~

> power 14,9 kW weight 136 kg

capacity 16 600 x 400 pitch 81.5 mm frequency 50/60 Hz voltage 380-415V 3N~

power 35,5 kW

weight 262 kg

40

All ovens have an optional model with a left to right door opening - item code example XEBC-10EU-E1LM. All BIG ovens have the trolley included.













Features

Standard

Optional - Not available

UNOX INTELLIGENT PERFORMANCE

ADAPTIVE.Cooking™: automatically regulates the baking parameters to ensure repeatable results CLIMALUX™: total control of the humidity in the baking chamber SMART.Preheating: sets automatically the temperature and the duration of the preheating AUTO.Soft: manages the heat rise to make it more delicate

SENSE.Klean: estimates how dirty the oven is and suggests appropriate automatic cleaning UNOX INTENSIVE COOKING

DRY.Maxi™: rapidly extracts the humidity from the baking chamber STEAM.Maxi™: produces saturated steam starting from 35 °C AIR.Maxi™: multiple fans with reverse gear and 4 speed settings

EFFICIENT.Power: ENERGY STAR certified energy efficiency PRESSURE.Steam: increases the saturation and temperature of steam

DATA DRIVEN COOKING

Wi-Fi connection Ethernet connection ddc.unox.com: control the oven usage in real time, create and send recipes from your PC to your ovens DDC.Stats: analyse, compare and improve the user and consumption data of your oven DDC.App: monitor all connected ovens in real time from your smartphone DDC.Coach: analyses the way in which you use the oven and suggests personalised recipes

MANUAL BAKING

Convection baking from 30 °C to 260 °C Convection baking from 30 °C to 300 °C Mixed convection + steam baking starting from 35 °C with STEAM.Maxi™ from 30% to 90% Convection + humidity baking starting from 48 °C with STEAM.Maxi™ from 10% to 20%

Saturated steam baking starting from 48 °C to 130 °C with STEAM.Maxi™ 100% Convection baking + forced humidity extraction from 30 °C with DRY.Maxi™ from 10% to 100% baking with core probe and DELTAT function

Single-point core probe MULTI.Point core probe

SOUS-VIDE core probe

ADVANCED AND AUTOMATIC BAKING

MIND.Maps™: draw the baking processes directly on the display PROGRAMS: up to 384 programmes that can be saved with name, picture or handwritten signature CHEFUNOX: choose something to cook from the library and the oven will automatically set all the parameters MULTI.Time: manages up to 10 baking processes at the same time

MISE.EN.PLACE: synchronises the insertion of pans so that all the dishes are ready at the same time AUTOMATIC CLEANING

Rotor.KLEAN™: 4 automatic cleaning programmes Rotor.KLEAN™: water and detergent level detector Integrated DET&Rinse™ detergent container

AUXILIARY FUNCTIONS Preheating up to 300 °C can be set by the user for each programme

Preheating up to 260 °C can be set by the user for each programme Remaining baking time display Holding baking mode "HOLD" and continuous functioning "INF" Display of the nominal value of the baking parameters Temperature units in °C or °F

PERFORMANCE AND SAFETY

Protek.SAFE™: automatic fan stop on opening the door Protek.SAFE™: power modulation of electricity or gas depending on actual need Spido.GAS™: high-performance straight heat exchanger pipes for symmetrical heat distribution Spido.GAS™: high-performance pressure burners and symmetrical exchangers

TECHNICAL DETAILS Baking chamber in high-resistance AISI 304 stainless steel with rounded edges Moulded baking chamber in AISI 316 L marine stainless steel

Baking chamber with L-shaped rack rails Baking chamber lighting through LED lights embedded in the door

9.5" touchscreen capacitive control panel 7" touchscreen resistive control panel Control panel with water resistance certification - IPX5

Drip collection system integrated in the door and functional even with the door open Heavy-duty structure with the use of innovative materials 4-speed multiple fan system and high-performance circular resistance

6 motors with multiple fan system with reverse gear and high power intensity rectilinear resistance Door hinges made of high-resistance, self-lubricating techno-polymer Door stop positions 120° - 180°

Door stop positions 60° - 120° - 180° Reversible door in use even after installation


Door thickness 70 mm Detachable internal glass door for ease of cleaning

Two-stage safety door opening / closure Proximity door contact switch


Safety temperature switch

Self-diagnosis system to detect problems or breakdowns

Technical details







Door docking position at 60°/120°/180°





VENTLESS HOOD

for 600 x 400 BIG ovens 892 x 1131 x 342 mm - w x d x h Art. XEAHL-HCFL

VENTLESS HOOD

for 600 x 400

COUNTERTOP ovens


860 x 1145 x 240 mm - w x d x h

Art. XEBHC-HCEU



ACTIVATED CARBON FILTER

for ventless hood 413 x 655 x 108 mm - w x d x h Art.: XUC140



CARTRIDGE

for activated carbon filter Art.: XUC141




DECKTOP

WATERLESS HOOD

for 600 x 400 COUNTERTOP ovens 860 x 1000 x 217 mm - w x d x h Art. XEBHC-ACEU








LIEVOX

with integrated control 16 600 x 400 866 x 950 x 1879 mm - w x d x h Art. XEBPL-16EU-D

with manual control 16 600 x 400 866 x 950 x 1879 mm - w x d x h Art. XEBPL-16EU-M

NEUTRAL CABINET




NEUTRAL CABINET

with integrated control

1600 x 400

860 x 880 x 400 mm - w x d x h Art. XEBDC-01EU-D

for 8 600 x 400 COUNTERTOP ovens 860 x 860 x 720 mm - w x d x h Art. XWAEC-08EF



LIEVOX

12 600 x 400 862 x 937 x 810 mm - w x d x h Art. XEBPC-12EU-C

8 600 x 400 860 x 937 x 658 mm - w x d x h Art. XEBPC-08EU-C

STAND

ULTRA HIGH STAND

for 600 x 400 COUNTERTOP ovens 842 x 713 x 888 mm - w x d x h Art. XWARC-07EF-UH

HIGH STAND

for 600 x 400 COUNTERTOP ovens 842 x 713 x 752 mm - w x d x h Art.: XWARC-07EF-H



INTERMEDIATE STAND

for 600 x 400 COUNTERTOP ovens 842 x 713 x 462 mm - w x d x h Art.: XWARC-00EF-M



INTERMEDIATE CLOSED STAND

for 600 x 400 COUNTERTOP ovens 860 x 817 x 309 mm - w x d x h Art.: XEBIC-03EU



LOW STAND

for 600 x 400 COUNTERTOP ovens 842 x 713 x 305 mm - w x d x h Art. XWARC-00EF-L

FLOOR POSITIONING




* mandatory for oven

positioning on the floor

for 600 x 400 COUNTERTOP ovens 842 x 891 x 113 mm - w x d x h Art. XWARC-00EF-F

FLOOR POSITIONING

QUICK.LOAD



QUICK.LOAD

for 600 x 400 BIG ovens 776 x 681 x 1741 mm - w x d x h Art. XEBTL-16EU



QUICK.LOAD 10 + 4

without doors 14 600 x 400 768 x 539 x 1920 mm - w x d x h

Art. XWBYC-14EU

with doors 14 600 x 400 768 x 539 x 1920 mm - w x d x h Art. XWBYC-14EU-D



QUICK.LOAD 6 + 6

12 600 x 400 768 x 539 x 1920 mm - w x d x h Art. XWBYC-12EU

with doors 12 600 x 400 768 x 539 x 1920 mm - w x d x h

Art. XWBYC-12EU-D





WHEELS KIT

2 wheels with brake - 2 wheels without brake - safety chains Art. XUC012

> DET&RINSE™ PLUS DET&RINSE™ ECO

DET&RINSE™ ULTRA

one box contains 10 x 1 lt tanks

Art. DB1015

Art. DB1018

Art. DB1050




TROLLEY

695 x 786 x 961 mm - w x d x h Art. XWBYC-00EU

for XWBBC-10EU basket

CLEANING AGENTS




CARE AND MAINTENANCE

UNOX.PURE-RO

reverse osmosis filtering system

230 x 540 x 445 mm - w x d x h Art. XHC002




CONNECTION


UNOX.PURE

Art. XHC003

+ REFILL FILTER CARTRIDGE



Art. XHC004



water treatment with resin filters

ACCESSORIES FOR THE OVENS CONNECTIONS

WiFi connection kit for


COUNTERTOP ovens

Art. XEC002

WiFi connection kit for

BIG ovens

Art. XEC016



FORO.BAGUETTE Perforated aluminium pan - 5 canals

FORO.BAKE

Perforated aluminium pan

600 x 400 h 15 mm

Art. TG410

FORO.BLACK

Perforated non-stick aluminium

600 x 400 h 15 mm

Art. TG430

FAKIRO™

Two surfaces - flat and ribbed -

for different products

600 x 400 h 12 mm

Art. TG440

FAKIRO.GRILL

Non-stick aluminium pan with two surfaces - flat and ribbed -

for different cookings

600 x 400 h 12 mm

Art. TG465

BAGUETTE.GRID

Ultra light chromium plated grid

- 5 canals

600 x 400 h 27 mm

Art. GRP410

600 x 400 h 34 mm Art. TG445



FORO.BAGUETTE.BLACK

Perforated non-stick aluminium pan - 5 canals

> 600 x 400 h 34 mm Art. TG435



BAKE

Aluminium pan 600 x 400 h 15 mm

TG405



STEEL.BAKE

Stainless steel pan

600 x 400 h 20 mm

TG450



BAKE.BLACK

Non-stick stainless steel pan

600 x 400 h 15.5 mm

Art. TG460



CHROMO.GRID

Stainless steel grid

600 x 400 h 8,5 mm Art. GRP405



BAKE.SILICO

Silicon coated aluminium pan

600 x 400 h 9 mm

Art. TG416




FORO.SILICO

Perforated silicon coated aluminim pan

600 x 400 h 9 mm

Art. TG415

COOKING ESSENTIALS




STEAM&FRY

Perforated stainless steel pan for steaming, french fries and breaded products

600 x 400 h 30 mm

Art. GRP420



POLLO.BLACK Non-stick stainless steel grid to

grill 10 chickens - equipped with fat collection and central drain

600 x 400 h 167 mm

Art. GRP430

POLLO.GRILL

Stainless steel grid to grill meat and fish - equipped with fat collection and central drain

600 x 400 h 27 mm

Art. GRP425

46

MIND.Maps™ONE



Technical Assistence

Installation

The right starting point



A global service network

A perfect installation is essential to guarantee the correct functioning of your BAKERTOP MIND.Maps™ ONE oven and eliminate interruptions in your daily work. We focus on you so you can focus on what matters to you. Rely on the authorized Service Centers all around the world.

Maintenance

Don't stop your work



The quickest on site service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon as or even before maintenance is required. Keeping in optimal condition your oven is Unox's priority: our technicians are at your disposal to provide you the best on-line and on-site support.

LONG.Life and LONG.Life4 Warranty

A promise of reliability



A choice made to last

Connect your BAKERTOP MIND.Maps™ ONE to the internet and activate the UNOX LONG.Life4 extended warranty on our website unox.com.

Up to 4 years / 10.000 working hours, whichever occurs first, on parts and 2 years on labor.*

* Check the Guarantee Conditions for your country on our website unox.com





INTERNAZIONALE

Via Majorana, 22 35010 - Cadoneghe (PD) - Italy E-mail: info@unox.com Tel: +39 049 8657511

UNOX S.p.a

EUROPA

IT - ITALIA UNOX S.p.a

E-mail: info@unox.it Tel: +39 049 8657511

DE - DEUTSCHLAND UNOX DEUTSCHLAND GMBH

E-mail: info.de@unox.com Tel: +49 2951 98760

FR - FRANCE, BELGIUM & LUXEMBOURG UNOX FRANCE s.a.s.

E-mail: info.fr@unox.com Tel: +33 4 78 17 35 39

PT - PORTUGAL **UNOX PORTUGAL**

E-mail: info.pt@unox.com Tel: +351 918 228 787

ES - ESPAÑA UNOX PROFESIONAL ESPAÑA S.L.

E-mail: info.es@unox.com Tel: +34 900 82 89 43

GB - UNITED KINGDOM UNOX UK Ltd.

E-mail: info@unoxuk.com Tel: +44 1252 851 522

IE - IRELAND UNOX IRELAND

E-mail: info.ie@unox.com Tel. +353 (0) 87 32 23 218

SC - SCANDINAVIAN COUNTRIES

UNOX SCANDINAVIA AB E-mail: info.se@unox.com Tel: +46(0)790 75 63 64

AT - ÖSTERREICH UNOX ÖSTERREICH GMBH

E-mail: info.de@unox.com Tel. +43 1 206092068

RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ **UNOX РОССИЯ**

E-mail: info.ru@unox.com Tel: +7 (499) 702 - 00 - 14

CZ - ČESKÁ REPUBLIKA

UNOX DISTRIBUTION s.r.o. E-mail: info.cz@unox.com Tel: +420 241 940 000

HR - HRVATSKA

UNOX CROATIA E-mail: narudzbe@unox.com Tel: +39 049 86 57 538

ВС - БЪЛГАРИЯ **UNOX BULGARIA**

E-mail: info.bg@unox.com Tel: +359 2 419 05 00

PL - POLSKA Unox Polska Sp.zo.o.

E-mail: info.pl@unox.com Tel: +48 665 232 000

TR - TÜRKİYE - UNOX TURKEY Profesyonel mutfak ekipmanlari endüstri ve ticaret limited şirketi

E-mail: info.tr@unox.com Tel: +90 530 176 62 03

NL - NETHERLANDS UNOX NETHERLANDS B.V.

E-mail: info.nl@unox.com Tel: +31 6 27 21 14 10

US - U.S.A. & CANADA UNOX Inc.

AMERICA

E-mail: info.usa@unox.com Tel: +1 800 489 8669

CO - COLOMBIA **UNOX COLOMBIA**

E-mail: info.co@unox.com Tel: +57 350 65 88 204

BR - UNOX BRAZIL - UNOX BRASIL SERVICOS LTDA

E-mail: info.br@unox.com Tel: +55 11 98717-8201

AR - ARGENTINA **UNOX ARGENTINA**

E-mail: info.ar@unox.com Tel: +54 911 37 58 43 46

MX - MEXICO UNOX MEXICO, S. DE R.L. DE C.V.

E-mail: info.mx@unox.com Tel: +52 55 8116-7720

ZA - SOUTH AFRICA **UNOX SOUTH AFRICA**

ASIA, OCEANIA & AFRICA

E-mail: info.sa@unox.com Tel: +27 845 05 52 35

AE - U.A.E. UNOX MIDDLE EAST DMCC

E-mail: info.uae@unox.com Tel: +971 4 554 2146

UZ - UZBEKISTAN UNOX PRO LLC

E-mail: info.uz@unox.com Tel: +998 90 370 90 10

CN - 中华人民共和国 UNOX TRADING (SHANGHAI) Ltd. CO.

电子邮件: info.china@unox.com 电话: +86 21 56907696

MY - MALAYSIA & SINGAPORE UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

PH - PHILIPPINES **UNOX PHILIPPINES**

E-mail: info.asia@unox.com Tel: +63 9173108084

ID - INDONESIA **UNOX INDONESIA**

E-mail: info.asia@unox.com Tel: +62 81908852999

KR - 대한민국 UNOX KOREA CO. Ltd.

이메일: info.asia@unox.com 전화 : +82 2 69410351

TW - TAIWAN, HONG KONG & MACAU **UNOX TAIWAN**

E-mail: info.tw@unox.com Tel: +886 928 250 536

AC - OTHER ASIAN COUNTRIES UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

AU - AUSTRALIA UNOX AUSTRALIA PTY Ltd.

E-mail: info@unoxaustralia.com.au Tel: +61 3 9876 0803

NZ - NEW ZEALAND

UNOX NEW ZEALAND Ltd. E-mail: info@unox.co.nz Tel: +64 (0) 800 76 0803



unox.com







