



Salvis Salamander Vitesse

This model has a lot more useful features besides its outstanding material quality and ease of cleaning.

User-friendly

Due to its 4-sided accessibility, its efficiency can be increased and work becomes simpler.

■ Multifunctional

The Salamander Standard can be remodelled into a wall, table or ceiling mounted model.

Design

The exclusive and lavish design has something to show. The Vitesse model can be used in any designer kitchen, show kitchen or in the front cooking area.



Salvis Salamander Classic and Classic Pro

The Classic models cover the traditional Salamander demand and feature the latest technology.

■ Compact

Due to its compact exterior dimensions, it can be used in many areas, and can even be integrated into the ceiling hood.

■ High quality

The stabile design warrants a long product life, even if used daily and continuously.

Automatic plate detection

The switchable clever function detects plates and bowls on its own and switches the Salamander on and off automatically. Due to the quick heating systems, you will save precious energy when cooking "au gratin".



Ecological and efficient.

Highest saving potential thanks to sophisticated technology.



Wall mounting Cooker mounting Base frame Hood mounting

Reflector

The well-designed heat reflector is equipped on all models with a patented double coat and a smart heating system; it prevents high temperatures on the reflector handle.

■ Timer

You will always achieve constant results, as the device will automatically switch off after the desired gratination time. This could be with the mechanical or electronic timer.

Operation


You have three operating modes to choose from. Manual, semiautomatic and fully automatic. The right solution for every application.

Hygiene

Thanks to the high-quality workmanship, large radii and the foldable plate rest, the cleaning process is quick and simple.


Heating systems

For all models, you have the choice between the traditional **Pipe** heater (RH) and the the fast **HiLight heater** (HL).



Advantages of the Salvis plate detection


The innovative technology offered by Salvis allows efficient production with the lowest possible energy consumption.



■ Conclusion

Up to 70% reduced power consumption with the Salvis plate detection.

Amortisation thanks to energy savings within 1% years. (kWh à CHF 0.23 / EUR 0.15)



Matured

Sophisticated

Crowning

Outstanding

Leading

Hot

Ground-breaking

Complete

Strong

Intelligent



■ Technical data in brief

Technical data	Vitesse	
Tubular heating version	RH-ET	
Item Nr.	SA 373'101	
HiLight heating version	HL-ET	
Item Nr.	SA 373'105	
Voltage	400 V 2N 50/60 Hz	
Fuse	16 A	
Dimensions LxDxH (mm)	600 x 500 x 772	

Power – Type	RH	HL
Full power	4 kW	4,6 kW
Left or right	2 kW	2,3 kW
Standby	1 kW	1,1 kW


RH = Tubular heating HL = HiLight heating


Classic		Classic Pro
RH-ET-C		RH ET-C Pro
SA 373'200		SA 373'210
HL-ET-C		HL-ET-C Pro
SA 373'201		SA 373'211
	400 V 2N	50/60 Hz
2 x 16 A		2 x 16 A
	600 x 480 /	520 x 456

RH	HL
3,6 kW	4,6 kW
1,8 kW	2,3 kW
0,9 kW	1,1 kW

Whether it be a grid, a drip pan or other accessories – Salvis will take care of you. Subject to modifications of performance, dimensions and design. Special voltages available upon request.


Salamander Vitesse





Salamander Classic and Classic Pro





SALVIS AG

Nordstrasse 15 CH-4665 Oftringen www.salvis.ch Telephone +41 62 788 18 18 Telefax +41 62 788 18 98

