



## SCB/21 three door DELUXE Sandwich Bar

### Quick Overview

#### Three Door

11 × 1/3 pans

Stainless Steel interior & exterior

- "blown well"
- cross-flow pan cooling
- New modern style square S/S front
- fridge has one level of shelving plus floor
- enclosed pan area with easy-slide covers\*\*
- Aspera compressors
- German ĘBM-Pabst fans
- digital temp. control & read-out
- Ambient 33°C & 75% RH
- rounded internal corners for hygiene & easy cleaning
- working area 230 mm deep
- **PE cutting board included**
- bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- fan-forced evaporator cooling
- auto defrost
- self evaporating drainage
- castors

#### Completely removable refrigeration unit

\*\* pans not included

\*\*\* sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

### Description

#### Three Door

11 × 1/3 pans

Stainless Steel interior & exterior

- "blown well"
- cross-flow pan cooling
- New modern style square S/S front
- fridge has one level of shelving plus floor
- enclosed pan area with easy-slide covers\*\*
- Aspera compressors
- German ĘBM-Pabst fans
- digital temp. control & read-out
- Ambient 33°C & 75% RH
- rounded internal corners for hygiene & easy cleaning
- working area 230 mm deep
- **PE cutting board included**
- bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- fan-forced evaporator cooling
- auto defrost

- self evaporating drainage
- castors

**Completely removable refrigeration unit**

\*\* pans not included

\*\*\* sliding pan covers must be used to ensure correct operating temperature

Tops are holding units & product needs to be pre-chilled to less than 5°C before filling

**2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration**

## Your Shipping Specifications

---

<b>Net Weight (Kg)</b>	176
<b>Width (mm)</b>	2180
<b>Depth (mm)</b>	700
<b>Height (mm)</b>	1255
<b>Packing Width (mm)</b>	760
<b>Packing Depth (mm)</b>	2100
<b>Packing Height (mm)</b>	970
<b>Power</b>	240V; 580W