



SL840V Bonvue Chilled Food Display

Quick Overview

- 4 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Aspera Compressors
- German Ębm-Pabst Fans
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- Wired Shelving With 4 Display Levels

Description

Bonvue Chilled Food Display SL840V - Chilled Square Stainless Steel Food Display

This deluxe display presents your culinary artistry, snacks and meals for the entire world to see as soon as they enter your establishment. Built by Bonvue, one of the leading brands in vibrant, multipurpose kitchen equipment and display units, the SL840V is a promising piece to add to a bakery, caf e or health food store.

This display is fantastic for showcasing lighter meals and snacks like cakes, wraps and sandwiches, and gives you the opportunity to entice potential customers. It also preserves those snacks and meals with a chilled interior.

The SL840V isn't the biggest unit in Bonvue's collection of powerful display cases but can easily fit into most business. It features interior lighting, a triple glazed front with wire filaments, four display levels, high humidity, fans and compressors.

Temperate Thermaster Premium

Refrigerated 2 to 8°C

Ambient 40°C & 90% Rh

- 4 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Danfoss Or Aspera Compressors
- German Ębm-Pabst Fans
- Lighting Over Each Level
- Self Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- Wired Shelving With 4 Display Levels

* Subject To 2Nd & 3Rd Year Service And Inspection

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

* 1200 mm Wide

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	260
Width (mm)	1200
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	815
Packing Depth (mm)	1250
Packing Height (mm)	1520
Power	240V; 792W