GOLDENFRY GAS TUBE FRYER

AGG18



ANETS

TECHNICAL DATA:

Dimensions (W x D x H):	498 x 876 x 1172	
Total Weight:	103 Kg	
Cooking Area (W x D x H):	457 x 127 x 457mm	
Oil Capacity:	31-39 Litres	

GAS DETAILS	Natural Gas (NG)	Universal LP Gas (ULPG)
Minimum Supply Pressure	1.7 kPa	2.74 kPa
Operating Pressure	1.0 kPa	2.5 kPa
Total Gas Supply	145MJ/Hr	145MJ/Hr

3/4" BSP connection

NOTE: It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining appropriate pressure when all appliances are full on



Due to continuous product research and development, the information contained herein is subject to change without notice. Revision: 16/7/2020

www.stoddart.com.au www.stoddart.co.nz

PROJECT

ITEM

QUANTITY

DATE

The Anets Goldenfry range now includes a wide variety of tube fryers using the inverted burner design to deliver efficiency and fast recovery.

The Goldenfry gas tube fryer can be used with inbuilt filter drawer systems.

FEATURES & BENEFITS:

- 5 x 102mm deep tube burners
- Highly efficient "inverted" tube burners
- Tank Stainless steel construction .
- . Cabinet - Stainless steel front, door & sides
- Battery spark ignitior operation
- Millivolt Thermostat
- High temperature safety limit swith
- Built in integrated flue deflector & gas regulator
- Cooking capacity of approximately 60kg of frozen 10mm fries / • 70kg of frozen french cut fries per hour per tank
- Supplied with 3 x 140mm wide nickle plated wire fryer baskets, removable stainless steel basket support, lid, drain pipe extension & clean out rod
- 10 year warranty on stainless steel frypot

OPTIONAL EXTRAS:

- Fry basket alternatives (twin, tripple, fine mesh, fish plates etc)
- Capping strips & Splashguards
- 152mm (6") fixed and swivel castors with brakes





