



Tyrone 20 Litre Heavy Duty Mixer -TS201-1/S

Quick Overview

20 Litre Tyrone Commercial Planetary Mixer TYRONE MIXERS

- All mixers have a stainless steel bowl
- Come standard with dough hook, beater & whisk
- Tough & reliable

• High quality electrical & mechanical components Tyrone have set a NEW INDUSTRY STANDARD & are the 'best buy' in price & reliability

• Three-speed gearbox RPM: 110 / 225 / 475 Max. dry bread flour: 4 kg

- Special motors for reliability & long life
- Superior design to other machines on the market
- Efficient & shock absorbing toothed-belt drive
- Electronic touch pad controls & timer operation
- Interlocked safety guard

Maximum capacities In all cases are based on dry bread flour and a MINIMUM of 55% water content. Overloading machines and/or using the incorrect speed can cause damage & will void warranty.

Description

Tyrone 20 Litre Commercial Planetary Mixer - TS201-1/S

A renowned manufacturer and supplier of dough mixers, Tyrone provides Federal Hospitality Equipment with some of the best dough mixers in the business. This is a planetary mixer that combines both reliability with efficient practicality.

TYRONE MIXERS

- All mixers have a stainless steel bowl
- Come standard with dough hook, beater & whisk
- Tough & reliable

• High quality electrical & mechanical components Tyrone have set a NEW INDUSTRY STANDARD & are the 'best buy' in price & reliability

- Three-speed gearbox RPM: 110 / 225 / 475 Max. dry bread flour: 4 kg
- Special motors for reliability & long life
- Superior design to other machines on the market
- Efficient & shock absorbing toothed-belt drive
- Electronic touch pad controls & timer operation
- Interlocked safety guard

Maximum capacities In all cases are based on dry bread flour and a MINIMUM of 55% water content. Overloading machines and/or using the incorrect speed can cause damage & will void warranty.

2 Years Parts and Labour Warranty

Your Shipping Specifications

Net Weight (Kg)	90
Width (mm)	480
Depth (mm)	570
Height (mm)	850
Packing Width (mm)	550
Packing Depth (mm)	600
Packing Height (mm)	1000
Power	240V; 375W; 3A