


There's more than five good reasons to choose Acqualine

DECK MOUNT PRE RINSE MODELS (cont)

AQD1200 DECK MOUNT

Deck Mount Pre Rinse, complete with wall bracket, 200mm swing faucet, single lever flow and temperature control, and 6 Star rated spray gun, 4 Star rated pot filler. Single hole mount. Overall height: 960-1030mm. Operating water pressure Min 50kpa, Max 500kpa.

**FIVE YEAR
ON-SITE WARRANTY***



* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine


DECK MOUNT FLICK MIXER MODELS

AQD5200 DECK MOUNT FLICK MIXER 200mm swing spout

Deck Mount Flick Mixer, complete with 200mm Swing Spout, **4 Star** rated, one hole mount, complete with flexible fittings.

Operating water pressure Min 50kpa, Max 500kpa.

FIVE YEAR ON-SITE WARRANTY*




AQD5100 DECK MOUNT FLICK MIXER 100mm spout

Deck Mount Flick Mixer, complete with 100mm Fixed Spout, **4 Star** rated, one hole mount, complete with flexible fittings.

Operating water pressure Min 50kpa, Max 500kpa.

FIVE YEAR ON-SITE WARRANTY*



AQ6000 THERMOSTATIC MIXING VALVE 15/20mm

Critical for supplying safe/desirable water temperatures to a Hands Free or Time Flow tapset.

Output temperature range 35-50°C.

Operating water pressure 20kpa, Max 500kpa.

FIVE YEAR ON-SITE WARRANTY*




* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

There's more than five good reasons to choose Acqualine

ELECTRONIC HANDS FREE & TIME FLOW MODELS

AQD4002 DECK MOUNT HANDS FREE SENSOR TAP


Modern Deck Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kpa, Max 500kpa.



**FIVE YEAR
ON-SITE WARRANTY***

AQW4003 WALL MOUNT HANDS FREE SENSOR TAP


Modern Wall Mounted Hands Free Sensor Tap, single hole mount, complete with flexible fittings, downward facing sensor, Mains and battery backup, 6 Star rating. Includes one connection tail and hardware. Stop taps recommended (not supplied). Operating water pressure Min 50kpa, Max 500kpa.



**FIVE YEAR
ON-SITE WARRANTY***

AQD745 DECK MOUNT TIME FLOW TAP

Deck mounted Time Flow Tap. 7 Seconds. Single hole mount, 6 Star rating. Includes one connection tail and hardware. Supplied with Blue Red and Yellow button. Operating water pressure Min 50kpa, Max 500kpa. Optimum 250-350kpa.



**FIVE YEAR
ON-SITE WARRANTY***

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.



There's more than five good reasons to choose Acqualine

WALL MOUNT FAUCET/SINK SETS

AQW3300CB WALL MOUNT WITH 300MM SPOUT

Wall Mounted 300mm Swing Faucet, with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kpa, Max 500kpa. (Breach by others).



FIVE YEAR ON-SITE WARRANTY*



AQW3180CB WALL MOUNT WITH 180MM SPOUT

Wall Mounted 180mm Swing Faucet with Lever operation, concealed breach, three hole mount. Ceramic cartridges, 1/4 turn 100mm levers, rugged construction and high quality finish. 4 Star rated. Operating water pressure Min 50kpa, Max 500kpa. (Breach by others).

FIVE YEAR ON-SITE WARRANTY*



Tap detail common to all Concealed Breach models.

* Five Year on-site warranty covers manufacturing defects, and excludes faulty installation, sensitivity adjustments on electronic models, failure to instal pressure limiting devices where required.

FSM (FOOD SERVICE MACHINERY PTY. LTD.)

HEAD OFFICE:

21-23 Agosta Drive, Laverton North,
Vic. 3026 Australia
T: +61 3 9368 2300 F: +61 3 9369 3800
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

SYDNEY OFFICE:

Unit 15, 7-9 Progress Circuit,
Prestons, NSW 2170
T: +61 2 9608 8620 F: +61 2 9607 9370
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

QUEENSLAND OFFICE:

4/40 Rivergate Place,
Murarrie, QLD 4172
T: +61 7 3390 4185 F: +61 7 3393 9508
E: sales@fsm-pl.com.au W: www.fsm-pl.com.au

PERTH:

T: 0413 893 311
E: sales@fsm-pl.com.au
W: www.fsm-pl.com.au