



The Platinum series gas fryer are high efficiency fryers that deliver optimum performance while using minimal gas. Platinum fryers are supplied standard with Anets Platinum burner technology incorporating a highly efficient Energy Star® rated atmospheric burner recovery up to 70% thermal efficiency and lower flue temperatures. The patented burner incorporates a daily self-cleaning cycle, keeping burners tuned to operate in the most energy efficient manner.

#### Product Information:

- 5 x 102mm deep tube burners
- Energy Star® rated Platinum tube burners
- Tank - Stainless steel construction
- Cabinet - Stainless steel front, door & sides
- Computer control with melt cycle and boil out modes. Complete with backup solidstate controller which can be switched on should the computer control fail.
- Cooking capacity of approximately 45kg of frozen 10mm fries / 50kg of frozen french cut fries per hour
- Supplied with 3 x 140mm wide nickle plated wire fryer baskets, removable stainless steel basket support, lid, drain pipe extension & clean out rod
- 10 year warranty on stainless steel frypot

#### OPTIONAL EXTRAS:

- Fry basket alternatives (twin, tripple, fine mesh, fish plates etc)
- Capping strips & Splashguards
- 229mm (9") fixed and swivel castors with brakes
- Digital control to substitute computer control
- Heat tape

#### TECHNICAL DATA:

<b>Dimensions (W x D x H):</b>	498 x 876 x 1172
<b>Total Weight:</b>	125Kg
<b>Cooking Area (W x D x H):</b>	457 x 127 x 356mm
<b>Oil Capacity:</b>	22-27 Litres

GAS DETAILS	Natural Gas (NG)	Universal LP Gas (ULPG)
Minimum Supply Pressure	1.7 kPa	2.74 kPa
Operating Pressure	1.0 kPa	2.5 kPa
Total Gas Supply	110MJ/Hr	110MJ/Hr


3/4" BSP connection

240 Volt 10Amp connection required to run control board.

#### Legend:

- A Gas Connection
- B Electrical Connection
- C Solid State Controls
- D Computer Control Panel
- E Basket Lifter (Optional)
- F Digital Control Panel (Optional)

**NOTE:** It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining appropriate pressure when all appliances are full on.



Due to continuous product research and development, the information contained herein is subject to change without notice.

Revision: B - 2/8/2024 - 02

[www.stoddart.com.au](http://www.stoddart.com.au)

[www.stoddart.co.nz](http://www.stoddart.co.nz)