




# airex

MASTERING THE ELEMENTS



**airex**  
MASTERING THE ELEMENTS



# Contents



**04**

---

## Display Series

- 06 Freestanding Refrigerated
- 08 Freestanding Ambient
- 10 Freestanding Heated
- 12 Countertop Refrigerated & Heated

**14**

---

## Undercounter Series

- 16 1 Door - Solid & Glass
- 18 1/1GN Refrigerators
- 20 1/1GN Freezers

**22**

---

## Upright Series

- 24 Refrigerators
- 26 Freezers

**28**

---

## Merchandiser Series

- 30 Countertop
- 32 Upright - Slimline





# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





## Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and pastisseries to the highest food safety standards with its adjustable digital temperature control.


Integrating a winning combination of double-glazed heated and frameless glass construction, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to each shelf, that reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Heated and Ambient Series, these versatile refrigerated display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

AXR.FDFSSQ.09

190kg  
3 Tier  
2°C - 5°C  
220 - 240V / 10A

**870 x 688 x 1350**




## 1200 Series

AXR.FDFSSQ.12

220kg  
3 Tier  
2°C - 5°C  
220 - 240V / 10A

**1170 x 688 x 1350**



## 1500 Series

AXR.FDFSSQ.15

280kg  
3 Tier  
2°C - 5°C  
220 - 240V / 10A

**1470 x 688 x 1350**

## Freestanding Ambient

The Airex Freestanding Ambient Display Series has been specifically designed for controlled ambient temperatures and are perfectly suited for the display of a variety of breads, pastries and cakes where temperature is not a concern, but retention of quality is.

Each unit is supplied with an adjustable digital temperature control, single glazed frameless glass construction and energy efficient LED lighting for increased product visibility and exceptional display. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.


Perfectly matching the Refrigerated and Heated Series, these versatile Ambient display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.





# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

AXA.FDFSSQ.09

180kg  
4 Tier  
16°C - 20°C  
220 - 240V / 10A

870 x 688 x 1350



## 1200 Series

AXA.FDFSSQ.12

230kg  
4 Tier  
16°C - 20°C  
220 - 240V / 10A

1170 x 688 x 1350

## Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.


Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over, introducing humidity into the display, holding products fresher for longer. A winning combination of single glazed frameless glass construction, adjustable digital temperature control and warm LED lighting to each shelf highlights product visibility and outstanding presentation.

Perfectly matching the Refrigerated and Ambient Series these versatile Heated display cabinets provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

AXH.FDFSSQ.09

160kg  
4 Tier  
60°C - 80°C  
220 - 240V / 10A

**870 x 688 x 1350**




## 1200 Series

AXH.FDFSSQ.12

210kg  
4 Tier  
60°C - 80°C  
220 - 240V / 10A

**1170 x 688 x 1350**



## 1500 Series

AXH.FDFSSQ.15

250kg  
4 Tier  
60°C - 80°C  
220 - 240V / 10A

**1470 x 688 x 1350**

## Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting, sliding doors to rear and frameless glass construction for outstanding display.


Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and is positioned for easy access and maintenance.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Refrigerated

AXR.FDCTSQ.09

93kg  
3 Tier  
2°C - 8°C  
220 - 240V / 10A

905 x 575 x 715



## Heated

AXH.FDCTSQ.09

57kg  
3 Tier  
60°C - 80°C  
220 - 240V / 10A

905 x 575 x 715





# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



## Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.


Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.

Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.



# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Refrigerator

AXR.UC.1

43kg  
125 Litres  
-2°C - 8°C  
220 - 240V / 10A

595 x 600 x 840




## Refrigerator

AXR.UC.1G

48kg  
125 Litres  
-2°C - 8°C  
220 - 240V / 10A

595 x 600 x 840



## Freezer

AXF.UC.1

46kg  
125 Litres  
-16°C - -18°C  
220 - 240V / 10A

595 x 600 x 840

## 1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.

Glass door refrigerators feature a lockable double-glazed heated glass door to provide exceptional display while minimising condensation.


Solid door refrigerators feature self-closing lockable doors to provide security and peace of mind.






# Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**2 x Solid Doors**      AXR.UCGN.2  
92kg  
196 Litres  
0°C - 6°C  
220 - 240V / 10A




**2 x Glass Doors**      AXR.UCGN.2G  
100kg  
196 Litres  
0°C - 6°C  
220 - 240V / 10A




**3 x Solid Doors**      AXR.UCGN.3  
114kg  
294 Litres  
0°C - 6°C  
220 - 240V / 10A



**3 x Glass Doors**      AXR.UCGN.3G  
130kg  
294 Litres  
0°C - 6°C  
220 - 240V / 10A



**4 x Solid Doors**      AXR.UCGN.4  
132kg  
421 Litres  
0°C - 6°C  
220 - 240V / 10A



**4 x Glass Doors**      AXR.UCGN.4G  
152kg  
421 Litres  
0°C - 6°C  
220 - 240V / 10A



## 1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.

Solid door freezers feature self-closing lockable doors to provide security and peace of mind.



# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**2 x Solid Doors**

AXF.UCGN.2

94kg  
196 Litres  
-16°C - -20°C  
220 - 240V / 10A

1360 x 700 x 840



**3 x Solid Doors**

AXF.UCGN.3

124kg  
294 Litres  
-16°C - -20°C  
220 - 240V / 10A

1795 x 700 x 840



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS





## Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility.


Glass door refrigerators feature a self-closing, lockable, double glazed heated door that provides exceptional display while minimising condensation.

Solid door refrigerators feature a self-closing, lockable door to provide security and peace of mind.



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 1 x Solid Door

AXR.URGN.1

125kg  
520 Litres  
0°C - 6°C  
220 - 240V / 10A

700 x 850 x 1990




## 1 x Glass Door

AXR.URGN.1G

144kg  
520 Litres  
0°C - 6°C  
220 - 240V / 10A

700 x 850 x 1990




## 2 x Solid Doors

AXR.URGN.2

213kg  
1200 Litres  
0°C - 6°C  
220 - 240V / 10A

1400 x 850 x 1990



## 2 x Glass Doors

AXR.URGN.2G

251kg  
1200 Litres  
0°C - 6°C  
220 - 240V / 10A

1400 x 850 x 1990

## Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.

Solid door freezers feature a self-closing, lockable door to provide security and peace of mind.



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 1 x Solid Door

AXF.URGN.1

135kg  
520 Litres  
-16°C - -20°C  
220 - 240V / 10A

700 x 850 x 1990



## 2 x Solid Doors

AXF.URGN.2

223kg  
1200 Litres  
-16°C - -20°C  
220 - 240V / 10A

1400 x 850 x 1990





# Merchandiser Series




## Countertop Merchandisers

The Airex Countertop Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold counter-top drink display in a compact footprint, with both pass through and single door models available to suit specific applications. Each unit offers double glazed glass for exceptional display and energy management, cyclopentane polyurethane insulation paired with an environmentally friendly R600a Hydrocarbon refrigerant to enhance performance and efficiency.

Airex Countertop Merchandiser displays are equipped with digital temperature control and fan forced airflow to deliver cool air throughout the display, energy efficient LED lighting, three adjustable shelves for flexibility and a self-closing lockable door as standard.



# Merchandiser Series




## 1 Door

44kg  
78 Litres  
2°C - 12°C  
220 - 240V / 10A

AXR.MECT.1.0994

424 x 390 x 994



## Pass Through

48kg  
83 Litres  
2°C - 12°C  
220 - 240V / 10A

AXR.MECT.1P.0994

424 x 440 x 994


## Upright Merchandisers

The Airex Upright Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold drink display in a compact footprint. Featuring an adjustable digital temperature control, it utilises a winning combination of double glazed glass door and energy efficient LED lighting. Assisted fan forced airflow delivers cool air to the entire display, combined with environmentally friendly R600a Hydrocarbon refrigerant and a cyclopentane polyurethane insulation, the slimline merchandiser is an efficient solution for any front of house application.

Airex sets the new standard in versatile refrigerated merchandisers with an electrostatic finish to aid in the prevention of finger print marks and smudges. The unit is supplied with five adjustable shelves as well as a self-closing lockable door and adjustable feet.



# Merchandiser Series



## **Slimline**

60kg  
160 Litres  
0°C - 10°C  
220 - 240V / 10A

AXR.MEUR.SL

**390 x 475 x 1880**



**airex**  
MASTERING THE ELEMENTS

Airex's extensive range of refrigeration and display products, exclusive to Stoddart, has been designed and tested in Australia to master the elements of its diverse climate. Airex's innovative and sleek line-up will fit seamlessly into any commercial setting, in retail, commercial kitchens, cafés, in either front or back of house applications. Providing outstanding food safety standards, hygiene and high-quality components, Airex sets a new standard for refrigeration and display within the food service market.





**woodson**  
Countertop Equipment

**Culinaire**  
Reliable Kitchen  
Equipment Products

**ASADO**  
Live Fuel Cooking

**Halton**  
Kitchen Exhaust Systems

**CookTek**  
Unique induction cooking

**Electrolux**  
PROFESSIONAL  
The world's most innovative  
kitchen technology

**airex**  
Refrigeration & Display

**ANETS**  
American built fryers

**STODDART**  
PLUMBING PRODUCTS

**GIORIK**  
Essence of evolution  
Combi ovens

**AMERICAN RANGE**  
Heavy duty cooking range

**STODDART**  
INFRASTRUCTURE

**METRO**  
Shelving and  
materials handling

**SIMPLY**  
**STAINLESS**  
Modular stainless steel  
benching and shelving

**ADANDE**  
Refrigerated  
Drawers

**power soak.**  
pot washer, continuous  
motion system

**TOWN&PARK**  
Sophisticated outdoor  
furniture solutions

**Perf**  
Perforated metal designs

**STODDART**



*Brisbane*

*Sydney*

*Melbourne*

*Perth*

*Adelaide*

**1300 79 1954**  
[www.stoddart.com.au](http://www.stoddart.com.au)

*Auckland*

**0800 79 1954**  
[www.stoddart.co.nz](http://www.stoddart.co.nz)

Manufactured or Imported  
& distributed exclusively by:

