



Bonvue Chilled Counter-Top Food Display - HTR160N

Quick Overview

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32°C;
- Temperature Range: 3 to 8 ° C
- Sliding Rear Doors
- CFC-free refrigerant and foam
- A ventilated refrigeration compartment gives better air circulation
- Auto defrosting
- Electronic thermostat and digital LED temperature display for accurate control and easy reading
- Curved glass food display
- Fan-forced airflow
- LED lamp
- HC refrigerant
- 2 adjustable Shelving
- Refrigeration Unit Is Fully Self-Contained In The Base (No Well Cut-Out Is Required)
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 + One 820 x 408 mm
- Front glass: Tempered double-glazed glass

Description

Bonvue Chilled Counter-Top Food Display - HTR160N

The formidable chilled display from renowned commercial refrigeration brand Bonvue contains immense power, with dimensions set at 873x580x670mm.

One of Bonvue ' s standardised benchtop displays, this piece works wonders in keeping your meals and ingredients chilled and made ready for serving.

This refined benchtop display unit is a great fit for any café, bakery, or butcher seeking ideal presentation and cold storage for their light meals, cold meats, sandwiches, wraps, and desserts.

Three Levels Of Display In A Stainless Steel And Glass Cabinet

- Gross Volume: 146L
- Net Volume: 101L
- Max Ambient Temperature: 32
- Temperature Range: 3 to 8 ° C
- Sliding Rear Doors
- CFC-free refrigerant and foam
- A ventilated refrigeration compartment gives better air circulation
- Auto defrosting
- Electronic thermostat and digital LED temperature display for accurate control and easy reading
- Curved glass food display
- Fan-forced airflow
- LED lamp
- HC refrigerant
- 2 adjustable Shelving
- Refrigeration Unit Is Fully Self-Contained In The Base (No Well Cut-Out Is Required)
- Internal dimension: 841 x 498 x 384 mm
- Shelf dimension: One 820 x 372 + One 820 x 408 mm
- Front glass: Tempered double-glazed glass

1 Year Parts and Labour Warranty

Your Shipping Specifications

Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	146L
Net Volume	101L
Max Ambient Temperature	32
Temperature Range	3 to 8 ° C
Total Energy Consumption	4.592(kWh/24h)
Net Weight (Kg)	71
Width (mm)	884.5
Depth (mm)	575
Height (mm)	676
Packing Width (mm)	931
Packing Depth (mm)	624
Packing Height (mm)	710
Power	240V; 160W / 10A
Warranty	1 Year Parts and Labour