



## Bonvue Heated Food Display - H-SL840V

### Quick Overview

- 1200 mm wide
- Gross Volume: 570L
- Temperature Range: 30 to 85° C
- Fan-forced thermal air-flow & humidity
- Stainless Steel
- Easy to clean
- Lighting over each level
- Sliding rear doors
- Digital temp. control & read-out
- 3 levels of wired shelving plus floor
- 4 Display Levels
- Black Trim & Shelving

Â

### Description

#### Bonvue Heated Food Display - H-SL840V

If you're looking for a stylish and highly practical heated display unit, you've come to the right place at FED. This black trim BonVue heated display unit is a quality-built product and engineered to place your hot foods in the spotlight.

The H-SL series works hand in hand with Bonvue's chilled display units, so you can place both displays within the front of your bakery, pizzeria, or takeaway store and decorate your store with a fresh variety of tasty meals.

The H-SL840V preserves your warm foods with consistent temperature levels. It's constructed with a stainless-steel exterior frame, three levels of wired shelving, fan-forced thermal airflow, and temp controls.

Brought in from Bonvue, one of the leading brands in reliable, high-functioning kitchen equipment, this heated display is robust, big, and a worthwhile addition to any store desiring that edge.

## Key Features

- 1200 mm wide
- Gross Volume: 570L
- Temperature Range: 30 to 85 ° C
- Fan-forced thermal air-flow & humidity
- Stainless Steel
- Easy to clean
- Lighting over each level
- Sliding rear doors
- Digital temp. control & read-out
- 3 levels of wired shelving plus floor
- 4 Display Levels
- Black Trim & Shelving

\* This is a hot food holding cabinet only; it is not designed to heat products.

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	570L
Temperature Range	30 to 85 ° C
Net Weight (Kg)	198
Width (mm)	1200
Depth (mm)	740
Height (mm)	1350
Packing Width (mm)	900
Packing Depth (mm)	1250
Packing Height (mm)	1520
Power	240V; 1248W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice