

Commercial Kitchen: Snack Size Under Bench Chillers with Solid Doors



SSC260H



SSC400H



SSC550H

Features:

- Self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

snack size cabinets - 600mm depth

Model	SSC260H	SSC400H	SSC550H
Gross volume (L)	260	386	511
Exterior dimensions in mm	1360w x 600d x 860h	1795w x 600d x 860h	2230w x 600d x 860h
Energy consumption in 24h	2 kWh	2.4 kWh	2.8 kWh
Temperature range	-2°C to +8°C	-2°C to +8°C	-2°C to +8°C
Number of adjustable shelves	2	3	4
Shelf material	plastic coated steel	plastic coated steel	plastic coated steel
Engine compartment lock	yes	yes	yes
Refrigerant	R134a	R134a	R134a
Gross/net weight	103/88 kg	145/125 kg	163/143 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
Parts & 1Yr labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Snack Size Under Bench Chillers with Glass Doors



SSC260G



SSC400G



SSC550G

Features:

- Self closing double glaze glass doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

snack size cabinets - 600mm depth

Model	SSC260G	SSC400G	SSC550G
Gross volume (L)	260	386	511
Exterior dimensions in mm	1360w x 600d x 860h	1795w x 600d x 860h	2230w x 600d x 860h
Energy consumption in 24h	2 kWh	2.4 kWh	2.8 kWh
Temperature range	-2°C to +8°C	-2°C to +8°C	-2°C to +8°C
Number of adjustable shelves	2	3	4
Shelf material	plastic coated steel	plastic coated steel	plastic coated steel
Engine compartment lock	yes	yes	yes
Refrigerant	R134a	R134a	R134a
Gross/net weight	103/88 kg	145/125 kg	163/143 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
Parts & 1Yr Labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Snack Size Under Bench Freezers with Solid Doors



SSSF260H



SSSF400H



Features:

- Self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

snack size cabinets - 600mm depth

Model	SSSF260H	SSSF400H
Gross volume (L)	260	386
Exterior dimensions in mm	1360w x 600d x 860h	1795w x 600d x 860h
Energy consumption in 24h	5 kWh	7 kWh
Temperature range	-18°C to -22°C	-18°C to -22°C
Number of adjustable shelves	2	3
Shelf material	plastic coated steel	plastic coated steel
Engine compartment lock	yes	yes
Refrigerant	R404a	R404a
Gross/net weight	110/95 kg	153/135 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
Parts & 1Yr labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Single Door Under Bench Chillers and Freezers



MC200H



MC200G



MF200H



Features:

- Lockable door with integrated handle
- Digital temperature display and analog controller
- Fan assisted static cooling system with manual defrosting
- Stainless steel finish exterior and white aluminium finish interior
- Adjustable feet
- LED interior light
- Climate rating: N

Model	MC200H	MC200G	MF200H
Gross volume (L)	140	140	140
Exterior dimensions in mm	600w x 615d x 870h	600w x 615d x 870h	600w x 615d x 870h
Energy consumption in 24h	2 kWh	2 kWh	3 kWh
Temperature range	0°C to +10°C	0°C to +10°C	-10°C to -22°C
Door material	stainless steel	glass	stainless steel
Number of shelves	2 (adjustable)	2 (adjustable)	2 (fixed)
Shelf material	plastic coated steel	plastic coated steel	plastic coated steel
Internal light	no	yes	no
Refrigerant	R134a	R134a	R134a
Gross/net weight	49/44 kg	49/44 kg	52/47 kg
Frequency/voltage	50-60 Hz/220-240 V	50-60 Hz/220-240 V	50-60 Hz/220-240 V

600, 615, 871, 850, 700, 550

600, 615, 871, 850, 700, 550

600, 615, 871, 850, 700, 550

Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Upright Gastronorm Chillers



GSC650H



GSC1410H

Features:

- Lockable self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

Model	GSC650H	GSC1410H
Gross volume (L)	685	1476
Exterior dimensions in mm	740w x 830d x 2010h	1480w x 830d x 2010h
Energy consumption in 24h	0.82 kWh	3.75 kWh
Temperature range	-2°C to +8°C	-2°C to +8°C
Number of adjustable shelves	5	10
Shelf material	plastic coated steel	plastic coated steel
Gastronorm pan size	GN1/1	GN1/1
Refrigerant	R134a	R134a
Gross/net weight	143/134 kg	210/195 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
Parts & 1Yr labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Upright Gastronorm Chillers with Split Doors



GSC652H



GSC1412H

Split doors

Features:

- Lockable self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

Model	GSC652H	GSC1412H
Gross volume (L)	685	1476
Exterior dimensions in mm	740w x 830d x 2010h	1480w x 830d x 2010h
Energy consumption in 24h	1.25 kWh	5.75 kWh
Temperature range	-2°C to +8°C	-2°C to +8°C
Number of adjustable shelves	5	10
Shelf material	plastic coated steel	plastic coated steel
Gastronorm pan size	GN1/1	GN1/1
Refrigerant	R134a	R134a
Gross/net weight	143/134 kg	217/202 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
1Yr Parts & labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Upright Gastronorm Freezers



GSF650H



GSF1410H



Features:

- Lockable self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

Model	GSF650H	GSF1410H
Gross volume (L)	685	1476
Exterior dimensions in mm	740w x 830d x 2010h	1480w x 830d x 2010h
Energy consumption in 24h	2 kWh	4.75 kWh
Temperature range	-18°C to -22°C	-18°C to -22°C
Number of adjustable shelves	5	10
Shelf material	plastic coated steel	plastic coated steel
Gastronorm pan size	GN1/1	GN1/1
Refrigerant	R404a	R404a
Gross/net weight	147/138 kg	226/208 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY
1Yr Parts & labour
 Warranty plan up to 3 Years available, please check with your dealer

Commercial Kitchen: Upright Gastronorm Freezers with Split Doors



GSF652H



GSF1412H

Split doors



Features:

- Lockable self closing stainless steel doors with integrated handles
- Digital controller and digital temperature display
- Dynamic fan forced cooling system with automatic defrosting
- Stainless steel finish exterior and interior
- Castor wheels
- Climate rating: ST-T

Model	GSF652H	GSF1412H
Gross volume (L)	685	1476
Exterior dimensions in mm	740w x 830d x 2010h	1480w x 830d x 2010h
Energy consumption in 24h	1.45 kWh	6.75 kWh
Temperature range	-18°C to -22°C	-18°C to -22°C
Number of adjustable shelves	5	10
Shelf material	plastic coated steel	plastic coated steel
Gastronorm pan size	GN1/1	GN1/1
Refrigerant	R404a	R404a
Gross/net weight	147/138 kg	230/210 kg
Frequency/voltage	50 Hz/220-240 V	50 Hz/220-240 V

WARRANTY

Parts & 1Yr labour

Warranty plan up to 3 Years available, please check with your dealer