

PLATINUM SERIES ELECTRIC FILTER DRAWER SYSTEMS

FDAEP214D

The Anets Platinum electric series offers variety of high performance fryers. Anets electric fryers are fitted with fast recovery fixed heating elements to ensure ongoing safety throughout operation.

Product Information:

- Platinum series electric, filter systems come with the AEP14 fryers banked together
- Digital or computer controlled 2 fryer filter drawer system
- Fixed immersed heating element design
- · Easy two step filtering
- 4 channel digital control is standard on all Anets Platinum fryers with melt cycle and boil out modes. Complete with backup solidstate controller which can be switched on should the digital control fail
- 30 litre per minute filter pump for fast refill times
- Self aligning filter connection for effortless hookup
- · Rear oil return for bottom cleaning
- · Filter pan is stainless with rear wheels for easy handling
- · Filter pan lid is self storing and out of the way
- All filtration systems come standard on adjustable height castors, Washdown/discharge hose, Box of 50 envelope papers, Starter sample pack of filter powder, Lids, Clean out rod and brush
- Cooking capacity of approximately 96kg of frozen 10mm fries / 110kg of frozen french cut fries per hour

TECHNICAL DATA:

Dimensions (W x D x H): 794 x 876 x 1010

1234

Total Weight: 182 Kg

Cooking Area (W x D x H): 356 x 356 x 102mm (x2)
Oil Capacity: 18-23 Litres per tank

Electrical Connection 34kW

3Ø + N + E

17 kW individual connection to each filter.

Legend:

- A Electrical Connection
- B Digital Control Panel
- C Solid State Controls
- D Computer Control Panel (Optional)
- E Basket Lifter (Optional)

NOTE: It is the responsibility of the installing gas plumber to ensure correct supply and connection sustaining







Due to continuous product research and development, the information contained herein is subject to change without notice.

Revision: B - 2/8/2024 - 02

www.stoddart.com.au www.stoddart.co.nz

OPTIONAL EXTRAS:

- Basket lifters
- 12 program computer control
- Heat tape









