



FED-X 120L Bar Freezer Glass Door - XF200SG

Quick Overview

- Gross Volume: 120L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -18 to -15 °C
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with a fan for the fridge, Static Cooling for the freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

Description

FED-X 120L Bar Freezer Glass Door - XF200SG

Key Features

- Gross Volume: 120L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -18 to -15 °C
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling

- Regular defrosting is necessary
- Static Cooling with a fan for the fridge, Static Cooling for the freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	120L
Max Ambient Temperature	25°C, 60%RH
Temperature Range	-22 to -18 ° C
Total Energy Consumption	3.649 kWh/24h
Lids	1
Form Factor	Display
Lid Material	Glass
Net Weight (Kg)	50
Width (mm)	600
Depth (mm)	585
Height (mm)	850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	990
Power	240V, 332W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration