



## FED-X 570L Single Glass Door Fridge - XR600SG

### Quick Overview

- Gross Volume: 570L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -1 to +5°C
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

### Description

FED-X 570L Single Glass Door Fridge - XR600SG

### Key Features

- Gross Volume: 570L
- Max Ambient Temperature: 25°C, 60%RH
- Temperature Range: -1 to +5°C
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out

- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling with fan for fridge, Static Cooling for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

Product Condition	New
Doors	1
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	570L
Max Ambient Temperature	25°C, 60%RH
Temperature Range	-2 to 8 ° C
Total Energy Consumption	2.1538 kWh/24h
Net Weight (Kg)	100
Width (mm)	777
Depth (mm)	695
Height (mm)	1890
Packing Width (mm)	752
Packing Depth (mm)	823
Packing Height (mm)	1890
Power	240V, 462W/10A
Warranty	Warranty: 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration