



## FED-X Chef Base Refrigerated Drawer Bench 184L - XCB-36

### Quick Overview

- Gross Volume: 184L
- Net Volume: 162L
- Max Ambient Temperature: 32°C; 65%RH
- Temperature Range: -1 to +5°C;
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly digital controls
- Rapid recovery rate
- Fan-forced evaporator cooling
- Heavy-duty castors with front-wheel brakes
- Austrian Fulterer door runners for smooth, reliable operation with durability
- Equipped with two drawers to hold cold ingredients, compatible with gastronomy Pan (sold separately) in various configurations
- Each drawer gasket is removable for easy cleaning and maintenance
- Raised Edge Top & Removable Magnetic Drawer Gaskets (GN pan is required for using this unit)

Â

### Description

#### FED-X Chef Base Refrigerated Drawer Bench 184L - XCB-36

Incorporating a refrigerated chef base into your kitchen, specifically designed to support Gaxmax cooking equipment, offers several strategic benefits that can significantly enhance both the functionality and efficiency of your cooking environment. Here's why it's a smart addition: Seamless Integration with Gaxmax Equipment, Optimized Space Utilization, Increased Efficiency and Productivity, Improved Workflow and Organisation, Energy Efficiency

## Key Features

- Gross Volume: 184L
- Net Volume: 162L
- Max Ambient Temperature: 32°C, 65%RH
- Temperature Range: -1 to +5
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly digital controls
- Rapid recovery rate
- Fan-forced evaporator cooling
- Heavy-duty castors with front-wheel brakes
- Austrian Fulterer door runners for smooth, reliable operation with durability
- Equipped with two drawers to hold cold ingredients, compatible with gastronomy Pan (sold separately) in various configurations
- Each drawer gasket is removable for easy cleaning and maintenance
- Raised Edge Top & Removable Magnetic Drawer Gaskets (GN pan is required for using this unit)

## Additional Information

- Drawers: 2
- Depth: 530mm
- Pan (height): 100mm

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

## Your Shipping Specifications

|                          |  |
|--------------------------|--|
| Product Condition        | New  |
| Doors                    | 2  |
| Door Type                | Hinged Doors   |
| Body                     | Stainless Steel  |
| Gross Volume             | 184L   |
| Net Volume               | 162L   |
| Max Ambient Temperature  | 32 , 65%RH   |
| Temperature Range        | -1 to +5   |
| Total Energy Consumption | 3.241 kWh/24h  |
| Net Weight (Kg)          | 85   |
| Width (mm)               | 924  |
| Depth (mm)               | 816  |
| Height (mm)              | 658  |
| Packing Width (mm)       | 886  |
| Packing Depth (mm)       | 990  |
| Packing Height (mm)      | 724  |
| Power                    | 240V, 396W/10A   |
| Warranty                 | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice |