



## FED-X Compact Workbench Fridge XGNS450B

### Quick Overview

- Gross Volume: 109L
- Net Volume: 90L
- Max Ambient Temperature: 38°C; 60%RH
- Temperature Range: +2 to +8°C
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Replaceable magnetic door seals
- Drawers have Industry Fulterer Heavy-duty components
- User-friendly Digital controls
- Heavy-duty castors with front-wheel brakes
- Fan-assisted cooling
- Drawers give easy access to products from front to back
- Drawers allow you quick and easy control of products
- Drawers offer you easy and fast removal of pans and products
- Drawers are easy to clean
- GN1/1 shelf or GN1/1 drawer (each drawer takes 1/1, 2 x 1/2 or 3 x 1/3 in up to 100mm deep pan capacity)

Â

### Description

#### FED-X Compact Workbench Fridge XGNS450B

Fan-assisted static cooling refrigerators offer a hybrid cooling approach, combining even air circulation via a fan with the humidity benefits of static cooling. This method ensures a more uniform temperature, quicker recovery after opening, and reduced, though normal, frost buildup on panels. While slightly noisier than purely static models, they maintain optimal humidity for fresh produce and are more energy-efficient than full frost-free units. This system strikes a balance between minimizing frost accumulation and preserving food quality, making it a cost-effective solution for those seeking the combined advantages of improved air distribution and natural humidity levels in their refrigeration.

## Key features

- Gross Volume: 109L
- Net Volume: 90L
- Max Ambient Temperature: 38 °C, 60%RH
- Temperature Range: +2 to +8 °C
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Replaceable magnetic door seals
- Drawers have Industry Fuller Heavy-duty components
- User-friendly Digital controls
- Heavy-duty castors with front-wheel brakes
- Fan-assisted cooling
- Drawers give easy access to products from front to back
- Drawers allow you quick and easy control of products
- Drawers offer you easy and fast removal of pans and products
- Drawers are easy to clean
- GN1/1 shelf or GN1/1 drawer (each drawer takes 1/1, 2 x 1/2 or 3 x 1/3 in up to 100mm deep pan capacity)

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

## Your Shipping Specifications

Product Condition	New
Gross Volume	109L
Net Volume	90L
Max Ambient Temperature	38 , 60%RH
Temperature Range	+2 to +8 ° C
Total Energy Consumption	1.733 kWh/24h
Net Weight (Kg)	43
Width (mm)	435
Depth (mm)	700
Height (mm)	897
Packing Width (mm)	730
Packing Depth (mm)	465
Packing Height (mm)	1050
Power	240V, 120W/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice