



## FED-X S/S Eight-Door Bench Fridge with Drawers - XUB7C22S4D

### Quick Overview

- Gross Volume: 553L
- Max Ambient Temperature: (43°C, 60%RH)
- Two heavy-duty GN1/2 drawers on each door
- Cooling System: Fan-forced cooling
- Temperature Range: -2~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditioner-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fan
- Heavy-duty castors front-wheelie brake unit that can be placed against the wall
- Refrigerant: R290
- Dimensions (Internal): 1669mm W x 580mm D x 564mm H

### Description

FED-X S/S Eight-Door Bench Fridge with Drawers - XUB7C22S4D

### Key Features

- Gross Volume: 553L
- Max Ambient Temperature: (43°C, 60%RH)
- Two heavy-duty GN1/2 drawers on each door
- Cooling System: Fan-forced cooling
- Temperature Range: -2~+8°C
- Compressor: Embraco/Secop

- Controller: Dixell
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditioner-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fan
- Heavy-duty castors front-wheelie brake unit that can be placed against the wall
- Refrigerant: R290
- Dimensions (Internal): 1669mm W x 580mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

## Your Shipping Specifications

Product Condition	New
Doors	8
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	553L
Max Ambient Temperature	43°C, 60%RH
Net Weight (Kg)	150
Width (mm)	2230
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	2260
Packing Depth (mm)	730
Packing Height (mm)	910
Power	240V; 345W/2.0A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice