



FED-X S/S Six-Door Bench Fridge with Drawers - XUB7C18S3D

Quick Overview

- Gross Volume: 417L
- Max Ambient Temperature: (43°C; 60%RH)
- Two heavy-duty GN1/2 drawers on each door
- Cooling System: Fan-forced cooling
- Temperature Range: -2°C ~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- Refrigerant: R290
- Dimensions (Internal): 1234mm W x 580mm D x 564mm H

Â

Description

FED-X S/S Six-Door Bench Fridge with Drawers - XUB7C18S3D

Key Features

- Gross Volume: 417L
- Max Ambient Temperature: (43°C, 60%RH)

- Two heavy-duty GN1/2 drawers on each door
- Cooling System: Fan-forced cooling
- Temperature Range: -2 ° ~+8 ° C
- Compressor: Embraco/Secop
- Controller: Dixell
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- Refrigerant: R290
- Dimensions (Internal): 1234mm W x 580mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	6
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	417L
Max Ambient Temperature	43 °C, 60%RH
Temperature Range	-2 to 8 °C
Net Weight (Kg)	121
Width (mm)	1795
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	1825
Packing Depth (mm)	730
Packing Height (mm)	910
Power	240V; 230W/1.3A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice