



FED-X Three Door Standard Saladette On Castors - XPZ3600TN

Quick Overview

- Gross Volume: 390L
- Net Volume: 448L
- Max Ambient Temperature: 43°C, 60%RH
- Temperature Range: -1 to +5°C
- Cooling System: Fan-forced cooling
- Compressor: Cubigel
- Controller: Dixell
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Self-closing doors with heavy-duty magnetic door seals
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1459mm W x 680mm D x 564mm H

Description

FED-X Three Door Standard Saladette On Castors - XPZ3600TN

Key Features

- Gross Volume: 390L
- Net Volume: 448L
- Max Ambient Temperature: 43°C, 60%RH
- Temperature Range: -1 to +5°C
- Cooling System: Fan-forced cooling
- Compressor: Cubigel
- Controller: Dixell

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Self-closing doors with heavy-duty magnetic door seals
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1459mm W x 680mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	390L
Net Volume	448L
Max Ambient Temperature	43 , 60%RH
Temperature Range	2 to 8 ° C
Total Energy Consumption	3.703 kWh/24h
Net Weight (Kg)	332
Width (mm)	2020
Depth (mm)	800
Height (mm)	990
Packing Width (mm)	2050
Packing Depth (mm)	830
Packing Height (mm)	1050
Power	240V; 320W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice