



**Ecological ice machine with 100% natural propane gas R290 with zero environmental impact.**

Three different sizes are available **FULL DICE, HALF DICE** and **LARGE DICE**

High production SLIM LINE modular ice maker.  
Up to 195kg production per 24/hr of dice cube.  
Head only, s/steel cabinet.  
Complete with water & drain hoses.  
10 AMP power supply.  
150g max gas charge - R290.




## ICE PRODUCTION


### Air Cooled Unit

Air Temp.	Water Temperature	Ice Production (kg/24h)			
		32°	21°	15°	10°
°C	°F	32°	21°	15°	10°
		90°	70°	60°	50°
10°		<b>173</b>	<b>201</b>	<b>207</b>	<b>210</b>
50°		381	443	456	463
21°		<b>149</b>	<b>175</b>	<b>184</b>	<b>192</b>
70°		328	386	406	422
32°		<b>114</b>	<b>143</b>	<b>146</b>	<b>149</b>
90°		251	316	322	328
38°		<b>98</b>	<b>122</b>	<b>130</b>	<b>133</b>
100°		216	269	287	293


## CUBE TYPE



**10g**  
**FULL CUBE**  
24mm x 22mm x 22mm



**6g**  
**HALF CUBE**  
24mm x 10mm x 29mm



**17g**  
**LARGE CUBE**  
24mm x 29mm x 29mm

Solid ice cube, suitable for quick drink cooling, available in three different sizes, **FULL DICE (M models)**, **HALF DICE (MH models)** and **LARGE DICE (ML models)**, can be used in various applications: ice buckets, whisky on the rocks and cocktails.

## CONTROL PANEL

	Power
	Operating
	Bin Full / Washing
	Alarm
	High Pressure Alarm
	Reset Button / Washing

## SUGGESTED STORAGE BIN



**BH56**  
Stainless steel storage bin.  
120kg capacity.

## DIMENSIONS

W x D x H (mm)  
560 x 620 x 660

## OPERATING REQUIREMENTS















220-240/50/1








R290 GWP = 3.3

MIN		MAX
10°C (50°F)		40°C (104°F)
5°C (41°F)		35°C (95°F)
- 10 %		+ 10 %
1 Bar (14 psi)		5 Bar (70 psi)

## SPECIFICATIONS

	 cond	 comp. W	 ABS. W	 Fuse	 kWh/100kg	 L / hr	 kg	 lbs	 kg	 lbs	 Ton CO2 equiv.
<b>M195 ECO A</b>		2843	1100	16	14.7	9.2	68	150	78	172	0.00



- (A) Water drain 20mm diam.
- (B) Potable water inlet 3/4" gas
- (C) Electrical cable supply
- (D) Water cooled inlet 3/4" gas
- (E) Water cooled outlet 3/4" gas