





TDC-5VH TECNODOM Nerone CL Digital 5 Tray Combi Oven

Quick Overview

- Auto reversing fans with 4 speed control for even cooking even on low fan speeds
- Steam 100 Â ° C 100% Moisture function
- Delta ΔT; Stove Cooking Mode as well as infinity mode for continuous operation during busy service times
- 99 Programmable and editable recipe options with up to 5 stages for each recipe
- Multi sensing Core Probe as standard
- Auto 4 stage cleaning system with liquid lines as standard

Description

TECNODOM Nerone CL Digital 5 Tray Combi Oven TDC-5VH

Products studied to grant the best operations and performances for the modern catering.

Tecnodom introduces the selection of the NERONE range of ovens: excellence dedicated to the cooking systems. The technological, planning and design skills used by Tecnodom are synthesized in the NERONE range of ovens. The company, thus, offers products that are in step with the needs of the market and that can combine essentiality and simplicity in cleaning and maintenance.

Key Features

- · Auto reversing fans with 4-speed control for even cooking, even when on low fan speeds
- Steam 100 ° C 100% Moisture function
- Delta T; Stove Cooking Mode as well as infinity mode for continuous operation during busy service times
- 99 Programmable and editable recipe options with up to 5 stages for each recipe
- Multi-sensing Core Probe as standard
- Auto 4-stage cleaning system with liquid lines as standard
- Full Stainless steel chamber with Removable Tray supports in chromed steel
- Two-stage door opening to allow steam and hot air to escape without causing operator injury
- Optional integrated Condenser hood
- User-friendly digital display with easy-to-use functions
- Twin front glass to reduce heat on the viewing window
- Optional Electric Hood
- Chamber can take 600 x 400mm trays as well as GN trays for greater flexibility
- Pans & trays not included
- ullet Convection cooking with variable temperatures from 30 $\,^{\circ}$ C to 280 $\,^{\circ}$ C
- Maximum preheating temperature 280 ° C

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	89
Width (mm)	920
Depth (mm)	840
Height (mm)	770
Packing Width (mm)	880
Packing Depth (mm)	955
Packing Height (mm)	900
Power	415V; 6.45kW / 3N
Warranty	1 Year Parts and Labour