



Thermaster Black Upright Three Glass Door Freezer - LG-1563DF

Quick Overview

- Gross Volume: 1563L
- Net Volume: 1090L
- Max Ambient Temperature: 25°C, Rh60%
- Temperature Range: -22 to -18 ° C
- Slimmer Aluminium glass door frame for better product presentation
- Stainless steel inner bottom for hygienic food storage and easy maintenance
- Illuminated 343mm height top LED light box for advertising
- 3-layer glass: inside layer tempering, middle layer Low-E glass, and outside layer heating glass
- Hinged self-closing door
- Streamlined operation
- Light Box
- LED lighting in the canopy and inside the cabinet
- External Colour: Black
- Internal Colour: White
- Auto-Defrost
- Digital thermostat
- Fan force cooling system
- Secop Compressor
- Castors
- Top mount design
- External Dimensions: 1880x750x2092
- Internal Dimensions: 1760x580x1538

Description

Thermaster Black Upright Three Glass Door Freezer LG-1563DF

Key Features

- Gross Volume: 1563L
- Net Volume: 1090L
- Max Ambient Temperature: 25 °C, Rh60%
- Temperature Range: -22 to -18 °C
- Slimmer Aluminium glass door frame for better product presentation
- Stainless steel inner bottom for hygienic food storage and easy maintenance
- Illuminated 343mm height top LED light box for advertising
- 3-layer glass: inside layer tempering, middle layer Low-E glass, and outside layer heating glass
- Hinged self-closing door
- Streamlined operation
- Light Box
- LED lighting in the canopy and inside the cabinet
- External Colour: Black
- Internal Colour: White
- Auto-Defrost
- Digital thermostat
- Fan force cooling system
- Secop Compressor
- Castors
- Top mount design
- External Dimensions: 1880x750x2092
- Internal Dimensions: 1760x580x1538

2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Colorbond
Gross Volume	1563L
Net Volume	1090L
Max Ambient Temperature	25 , 60%RH
Temperature Range	-22 to -18 ° C
Total Energy Consumption	34.67 kWh/24h
Lids	3
Form Factor	Upright
Lid Material	Glass
Net Weight (Kg)	323
Width (mm)	1880
Depth (mm)	750
Height (mm)	2092
Packing Width (mm)	770
Packing Depth (mm)	1905
Packing Height (mm)	2220
Power	240V, 1.85kW/15A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice