



Thermaster Heavy Duty Supermarket Glass Sliding Lid Freezers 506L - SD-506K

Quick Overview

- Curved glass design for elegant visibility and enhanced product display
- 70mm insulation for optimal temperature retention and energy efficiency
- Analogue temperature controller for precise and user-friendly operation
- Heavy-duty basket included for organized storage and easy access to products
- Designed for performance in Climate Class 7 conditions, ensuring reliability in extreme temperatures
- Utilizes eco-friendly R290 gas, minimizing environmental impact
- Durable ABS frame construction for long-lasting use and stability
- Perfect for ice cream display and storage, showcasing products attractively
- Features a static cooling unit, maintaining consistent temperatures for quality preservation
- Manual defrost is required, allowing for maintenance and cleaning control
- Lock included for added security, protecting your valuable products
- Heavy-duty castors for easy mobility and positioning
- Temperature Range: -18 to -22
- Ambient/ RH%: 35/75
- Capacity (L): 506L
- Power 230w
- Packing dimensions 1494*775*1040
- Net Weight: 81kg
- Product dimensions: 1446*745*845

Description

Thermaster Heavy Duty Supermarket Glass Sliding Lid Freezers 506L - SD-506K

Key Features

- Curved glass design for elegant visibility and enhanced product display
- 70mm insulation for optimal temperature retention and energy efficiency
- Analogue temperature controller for precise and user-friendly operation
- Heavy-duty basket included for organized storage and easy access to products
- Designed for performance in Climate Class 7 conditions, ensuring reliability in extreme temperatures
- Utilizes eco-friendly R290 gas, minimizing environmental impact
- Durable ABS frame construction for long-lasting use and stability
- Perfect for ice cream display and storage, showcasing products attractively
- Features a static cooling unit, maintaining consistent temperatures for quality preservation
- Manual defrost is required, allowing for maintenance and cleaning control
- Lock included for added security, protecting your valuable products
- Heavy-duty castors for easy mobility and positioning
- Temperature Range: -18 to -22
- Ambient/ RH%: 35/75
- Capacity (L): 506L
- Power 230w
- Packing dimensions 1494*775*1040
- Net Weight : 81kg
- Product dimensions:1446*745*845

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Colorbond
Capacity (L)	506L
Lids	2
Form Factor	Chest
Lid Material	Glass
Net Weight (Kg)	81
Width (mm)	1446
Depth (mm)	745
Height (mm)	845
Packing Width (mm)	1494
Packing Depth (mm)	775
Packing Height (mm)	1040
Power	240V, 230w/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days Of Invoice