



## Thermaster Stainless Steel Double Door Workbench Fridge - TL1500TN

### Quick Overview

- 700 Series
- Gross Volume: 345L
- Net Volume: 278L
- Max Ambient Temperature: 32°C
- Temperature Range: -2 to 8 ° C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Dimension (WxDxH mm): 1500x700x810
- Power: 240V; 235W; 10A outlet required

### Description

#### Thermaster Stainless Steel Double Door Workbench Fridge - TL1500TN

### Features

- 700 Series
- Gross Volume: 345L
- Net Volume: 278L
- Max Ambient Temperature: 32°C
- Temperature Range: -2 to 8 ° C
- Solid Door fridge Ambient 43°C
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning

- 100mm wall clearance is required for ventilation
- Castors
- Dimension (WxDxH mm): 1500x700x810
- Power: 240V; 235W; 10A outlet required

**2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration**

Your Shipping Specifications

|                          |                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------|
| Product Condition        | New                                                                                             |
| Doors                    | 2                                                                                               |
| Door Type                | Hinged Doors                                                                                    |
| Body                     | Stainless Steel                                                                                 |
| Gross Volume             | 345L                                                                                            |
| Net Volume               | 278L                                                                                            |
| Max Ambient Temperature  | 32°C                                                                                            |
| Temperature Range        | -2 to 8 ° C                                                                                     |
| Total Energy Consumption | 3.15 kWh/24h                                                                                    |
| Net Weight (Kg)          | 100                                                                                             |
| Width (mm)               | 1500                                                                                            |
| Depth (mm)               | 700                                                                                             |
| Height (mm)              | 850                                                                                             |
| Packing Width (mm)       | 730                                                                                             |
| Packing Depth (mm)       | 1540                                                                                            |
| Packing Height (mm)      | 900                                                                                             |
| Power                    | 240V; 250W; 10A Outlet Required                                                                 |
| Warranty                 | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |