



Thermaster Stainless Steel Triple Door Workbench Freezer - TL1800BT-3D

Quick Overview



- Gross Volume: 440L
- Net Volume: 350L
- Max Ambient Temperature: 32°C
- Temperature Range: -18 to -22 ° C
- Solid Door freezer
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Heated door frame on freezers
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmW x 700D x 850H;
- Power: 240V; 568W; 10A outlet required

Description

Thermaster Stainless Steel Triple Door Workbench Freezer - TL1800BT-3D

Features

- Gross Volume: 440L
- Net Volume: 350L
- Max Ambient Temperature: 32°C
- Temperature Range: -18 to -22 ° C
- Solid Door freezer
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Heated door frame on freezers

- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmW × 700D × 850H;
- Power: 240V; 568W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	440L
Net Volume	350L
Max Ambient Temperature	32°C
Temperature Range	-18 to -22 ° C
Total Energy Consumption	9.015 kWh/24h
Lids	3
Form Factor	Workbench
Lid Material	Solid
Net Weight (Kg)	118
Width (mm)	1800
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	1840
Packing Depth (mm)	730
Packing Height (mm)	900
Power	240V; 568W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice