



Thermaster Stainless Steel Triple Door Workbench Fridge - TL1800TN-3D

Quick Overview

- Gross Volume: 440L
- Net Volume: 350L
- Max Ambient Temperature: 32°C
- Temperature Range: -2 to 8 ° C
- Solid Door fridge
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmWx700Dx850H;
- Power: 240V; 250W; 10A outlet required

Â

Description

Thermaster Stainless Steel Triple Door Workbench Fridge - TL1800TN-3D

Features

- Gross Volume: 440L
- Net Volume: 350L
- Max Ambient Temperature: 32°C
- Temperature Range: -2 to 8 ° C
- Solid Door fridge
- Fan-forced evaporator cooling
- Auto defrost

- Self-evaporating drainage
- Insulation is CFC & HCFC-free
- Internal corners are constructed for easy cleaning
- 100mm wall clearance is required for ventilation
- Castors
- Optional splashback
- Dimension: 1800mmW × 700D × 850H;
- Power: 240V; 250W; 10A outlet required

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	3
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	440L
Net Volume	350L
Max Ambient Temperature	32°C
Temperature Range	-2 to 8 ° C
Total Energy Consumption	3.35 kWh/24h
Net Weight (Kg)	113
Width (mm)	1800
Depth (mm)	700
Height (mm)	850
Packing Width (mm)	1840
Packing Depth (mm)	730
Packing Height (mm)	900
Power	240V; 250W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice