



Thermaster Supermarket Open Beverage Display - OC-1830

Quick Overview

- Practical choice.Â Compact, Powerful & Heavy Duty! These high quality kitchen equipment provide an excellent foundation for any kitchen.
- Reliable and efficient. This particular Supermarket Open Beverage Display has a smaller base design to reduce floor footprint.
- Great value for money. Get the longevity you need for the price you want with this unit's double layer night blinds for less energy consumption!
- Hygienic & easy to clean.Â Our products meet the appropriate Health Department requirements, and are easy to clean, with simple assembly and remarkable service.Â

Description

Thermaster Supermarket Open Beverage Display - OC-1830

Highlight your bestselling beverages with our Thermaster Supermarket Open Beverage Display! Made up of an illuminated top canopy for advertising, they ' re sure to display your products well and showcase them to your buyers sleek, clean, and fresh.

This is a fast-selling purchase for any prospective restaurant or café owner who operates a medium—to large-sized establishment.

Key Features

- Smaller base design to reduce floor footprint
- Fan-forced cooling
- Illuminated top canopy for advertising
- Double-layer night blinds for less energy consumption
- Streamlined operation
- Adjustable glass shelf
- Shelf14 ° •Angle: 0 ° | 7 °
- Temperature class: M2
- LED lighting on top
- R290 Natural refrigerant
- Secop Compressor
- Can be assembled in a line-up, without a mullion, as it is multiplexable

Additional Information

- Net Volume: 810L
- Max Ambient Temperature: 25 °C , 60%RH
- Temperature Range: +1 to +7
- Night Blinds: 2
- Display area m²:3.11

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Body	Colorbond
Net Volume	810
Max Ambient Temperature	25 , 60%RH
Temperature Range	+1 to +7
Total Energy Consumption	31.2 kWh/24h
Net Weight (Kg)	330
Width (mm)	1890
Depth (mm)	770
Height (mm)	2067
Packing Width (mm)	1963
Packing Depth (mm)	770
Packing Height (mm)	2110
Power	240V; 1800W; 15A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice