



## Thermaster two door Deluxe Sandwich Bar - SCB/15

---

### Quick Overview

---

- 7 × 1/3 pans
- Stainless Steel interior & exterior
- Gross Volume: 550L
- Temperature Range: +2 to +8 ° C
- "blown well"
- Cross-flow pan cooling
- New modern style square S/S front
- The fridge has one level of shelving plus a floor
- Enclosed pan area with easy-slide covers\*\*
- Aspera compressors
- German BM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 230 mm deep
- PE cutting board included
- Bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors

### Description

---

Thermaster two-door Deluxe Sandwich Bar - SCB/15

### Key Features

- 7 × 1/3 pans
- Stainless Steel interior & exterior
- Gross Volume: 550L
- Temperature Range: +2 to +8 ° C

- "blown well"
- Cross-flow pan cooling
- New modern style square S/S front
- The fridge has one level of shelving plus a floor
- Enclosed pan area with easy-slide covers\*\*
- Aspera compressors
- German ËBM-Pabst fans
- Digital temp. control & read-out
- Rounded internal corners for hygiene & easy cleaning
- Working area 230 mm deep
- PE cutting board included
- Bench height 855 mm
- R134a gas SCB/15; R404a SCB/18 & /21
- Fan-forced evaporator cooling
- Auto defrost
- Self-evaporating drainage
- Castors

Completely removable refrigeration unit

\*\* pans not included

\*\*\* Sliding pan covers must be used to ensure the correct operating temperature

Tops are holding units & the product needs to be pre-chilled to less than 5°C before filling

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Product Condition	New
Doors	2
Door Type	Hinged Doors
Body	Stainless Steel
Gross Volume	550L
Temperature Range	+2 to +8 ° C
Net Weight (Kg)	147
Width (mm)	1480
Depth (mm)	700
Height (mm)	1255
Packing Width (mm)	770
Packing Depth (mm)	1550
Packing Height (mm)	1420
Power	240V; 460W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice