



---

Zoe




**SANREMO**  
COFFEE MACHINES

*made in italy*



### COLORED AND VERSATILE

Totally matching every type of decorative solution thanks to the possible customizations



**COMPETITION**  
Version with shot timer and barista lights

**SED TECHNOLOGY**  
It guarantees an electronic dosing system through the button panel

**SAP TECHNOLOGY**  
It allows the semi-automatic programming of doses

### COMPLETE RANGE

Available versions: **COMPETITION**, **SED** and **SAP** 1,2,3 groups, "Tall" and "Compact"

### SHOT TIMER

To accurately and reliably time coffee extraction (only **COMPETITION**)



### EASY SERVICE

Easy access to the internal parts for a quick and simple technical assistance

### LOW SERVICE COST

Designed to decrease the maintenance and inspection costs



## Characteristics



**ELECTRONIC AUTO-LEVEL**  
Through an electronic level probe the boiler is automatically filled and maintained at the right level.



**EASY SERVICE**  
Easy access to the internal parts for a quick and easy technical assistance.



**ACTIVATED ELECTRONIC PRE-INFUSION**  
Management of the delayed activation of solenoid in the first phase of brewing.



**AUTOMATIC CLEANING CYCLE**  
Process to clean the coffee groups.



**DOUBLE READING GAUGE**  
It allows to control at the same time the boiler pressure and the brewing pressure.



**LED LIGHT OF THE WORKING AREA**  
It allows to effectively work in any lighting condition. (only **COMPETITION**)

### Optional



**AUTOSTEAM**  
Steam pipe characterized by an electronic system that allows to froth and or heat milk at the set temperature.



**CUP HEATER**  
Dedicated resistor to keep all the cups at the optimal temperature.



**EXTERNAL VOLUMETRIC PUMP**



**BLUETOOTH COMMUNICATION SYSTEM**




**NAKED PORTAFILTERS**


# SANREMO

COFFEEMACHINES


## Models




20.87 inches / 530 mm



28.35 inches / 720 mm



37.40 inches / 950 mm



20.87 inches / 530 mm

21.14 inches / 537 mm

21.38 inches / 543 mm

**1 group**  
**COMPETITION-SED-SAP**  
1 steam tap  
1 water tap  
1 one-cup portafilters  
1 two-cup portafilters

**2 group**  
**COMPETITION-SED-SAP**  
2 steam taps  
1 water tap  
1 one-cup portafilters  
2 two-cup portafilters


**3 group**  
**COMPETITION-SED-SAP**  
2 steam taps  
1 water tap  
1 one-cup portafilters  
3 two-cup portafilters

**2 group**  
**COMPACT**  
2 steam taps  
1 water tap  
1 one-cup portafilters  
2 two-cup portafilters



### TALL VERSION

1-2-3 groups **COMPETITION-SED-SAP**



3.07 inches / 78 mm

5.51 inches / 140 mm  
23.7 inches / 602 mm

20.78 inches / 528 mm


## Technical data

		1 group	2 group	3 group	compact
voltage	V		220-240 1N	280-415 3N	
power input	kW	2.3	3.3	6	2.7
steam boiler capacity	US gal / lt	1.19 / 4.5	2.64 / 10	3.7 / 14	1.85 / 7
steam boiler power	kW	2.15	2.95	5.6	2.5
pump power	kW	0.13	0.13	0.13	0.13
net weight	lb / kg	90 / 41	121 / 55	152 / 69	99 / 45

## Colors

	Black	RAL 9005
	White Black	RAL 9003 9005
	White Matte black	RAL 9003 9005
	White Red	RAL 9003 3002

## PERSONALISED GRAPHICS



Customization of internal panels with graphics and colors (on request).



**Zoe**  
Link to the website

---

*For more information about our  
coffee machines please contact us  
at [export@sanremomachines.com](mailto:export@sanremomachines.com)*



**SANREMO**  
COFFEE MACHINES

SANREMO coffee machines s.r.l.  
Via Giacomo Bortolan 52  
31050 Vascon di Carbonera [TV] – ITALY  
T +39 0422 448900  
F +39 0422 448935  
[www.sanremomachines.com](http://www.sanremomachines.com)